

* STN Columbus *

FILE 'HOME' ENTERED AT 14:52:53 ON 27 APR 2011

FILE 'CAPLUS' ENTERED AT 14:54:25 ON 27 APR 2011
USE IS SUBJECT TO THE TERMS OF YOUR STN CUSTOMER AGREEMENT.
PLEASE SEE "HELP USAGETERMS" FOR DETAILS.
COPYRIGHT (C) 2011 AMERICAN CHEMICAL SOCIETY (ACS)

FILE 'MEDLINE' ENTERED AT 14:54:25 ON 27 APR 2011

FILE 'BIOSIS' ENTERED AT 14:54:25 ON 27 APR 2011
Copyright (c) 2011 The Thomson Corporation

FILE 'BIOTECHNO' ENTERED AT 14:54:25 ON 27 APR 2011
COPYRIGHT (C) 2011 Elsevier Science B.V., Amsterdam. All rights reserved.

FILE 'COMPENDEX' ENTERED AT 14:54:25 ON 27 APR 2011
Compendex Compilation and Indexing (C) 2011
Elsevier Engineering Information Inc (EEI). All rights reserved.
Compendex (R) is a registered Trademark of Elsevier Engineering Information Inc.

FILE 'ANABSTR' ENTERED AT 14:54:25 ON 27 APR 2011
COPYRIGHT (c) 2011 THE ROYAL SOCIETY OF CHEMISTRY (RSC)

FILE 'CERAB' ENTERED AT 14:54:25 ON 27 APR 2011
COPYRIGHT (C) 2011 Cambridge Scientific Abstracts (CSA)

FILE 'METADEX' ENTERED AT 14:54:25 ON 27 APR 2011
COPYRIGHT (c) 2011 Cambridge Scientific Abstracts (CSA)

FILE 'USPATFULL' ENTERED AT 14:54:25 ON 27 APR 2011
CA INDEXING COPYRIGHT (C) 2011 AMERICAN CHEMICAL SOCIETY (ACS)

=> s (fluorescen? (3a) dye) (P) (masking (3a) dye)
PROXIMITY OPERATOR LEVEL NOT CONSISTENT WITH
FIELD CODE - 'AND' OPERATOR ASSUMED 'DYE) (P) '
PROXIMITY OPERATOR LEVEL NOT CONSISTENT WITH
FIELD CODE - 'AND' OPERATOR ASSUMED 'DYE) (P) '
11 122 (FLUORESCEN? (3A) DYE) (P) (MASKING (3A) DYE)

```
=> dup rem l1  
PROCESSING COMPLETED FOR L1  
L2          122 DUP REM L1 (0 DUPLICATES REMOVED)
```

=> d 12 1-20 ti

L2 ANSWER 1 OF 122 USPATFULL on STN
TI BGL4 Beta-Glucosidase and Nucleic Acids Encoding the Same

L2 ANSWER 2 OF 122 USPATFULL on STN
TI Method and Test Kit for the Rapid Identification and Characterization
of Cells

L2 ANSWER 3 OF 122 USPATFULL on STN

TI Protease Variants Active Over A Broad Temperature Range
L2 ANSWER 4 OF 122 USPATFULL on STN
TI Surface Active Bleach and Dynamic pH
L2 ANSWER 5 OF 122 USPATFULL on STN
TI Enzyme for the Production of Long Chain Peracid
L2 ANSWER 6 OF 122 USPATFULL on STN
TI DUAL MECHANISM INHIBITORS FOR THE TREATMENT OF DISEASE
L2 ANSWER 7 OF 122 USPATFULL on STN
TI ENDOGLUCANASES
L2 ANSWER 8 OF 122 USPATFULL on STN
TI Novel Lipolytic Enzyme ELIP
L2 ANSWER 9 OF 122 USPATFULL on STN
TI Methods for Improving Multiple Protein Properties
L2 ANSWER 10 OF 122 USPATFULL on STN
TI Cleaning Enzymes and Malodor Prevention
L2 ANSWER 11 OF 122 USPATFULL on STN
TI Modified Endoglucanase II and Methods of Use
L2 ANSWER 12 OF 122 USPATFULL on STN
TI COMPOSITIONS AND METHODS COMPRISING SERINE PROTEASE VARIANTS
L2 ANSWER 13 OF 122 USPATFULL on STN
TI USE OF PROTEIN HYDROLYSATES TO STABILIZE METALLOPROTEASE DETERGENT FORMULATIONS
L2 ANSWER 14 OF 122 USPATFULL on STN
TI Stable Enzymatic Peracid Generating Systems
L2 ANSWER 15 OF 122 USPATFULL on STN
TI BGL6 Beta-Glucosidase and Nucleic Acids Encoding the Same
L2 ANSWER 16 OF 122 USPATFULL on STN
TI Novel Lipolytic Enzyme LIP2
L2 ANSWER 17 OF 122 USPATFULL on STN
TI COMPOSITIONS AND METHODS COMPRISING A SUBTILISIN VARIANT
L2 ANSWER 18 OF 122 USPATFULL on STN
TI COMPOSITIONS AND METHODS COMPRISING A SUBTILISIN VARIANT
L2 ANSWER 19 OF 122 USPATFULL on STN
TI Cleaning Enzymes and Fragrance Production
L2 ANSWER 20 OF 122 USPATFULL on STN
TI Cleaning Compositions Comprising Alpha-Galactosidase

=> d 11 21-122 ti

L1 ANSWER 21 OF 122 USPATFULL on STN
TI Stable Enzymatic Peracid Generating Systems
L1 ANSWER 22 OF 122 USPATFULL on STN

TI BGL6 Beta-Glucosidase and Nucleic Acids Encoding the Same

L1 ANSWER 23 OF 122 USPATFULL on STN

TI Novel Lipolytic Enzyme LIP2

L1 ANSWER 24 OF 122 USPATFULL on STN

TI COMPOSITIONS AND METHODS COMPRISING A SUBTILISIN VARIANT

L1 ANSWER 25 OF 122 USPATFULL on STN

TI COMPOSITIONS AND METHODS COMPRISING A SUBTILISIN VARIANT

L1 ANSWER 26 OF 122 USPATFULL on STN

TI Cleaning Enzymes and Fragrance Production

L1 ANSWER 27 OF 122 USPATFULL on STN

TI Cleaning Compositions Comprising Alpha-Galactosidase

L1 ANSWER 28 OF 122 USPATFULL on STN

TI Novel lipolytic Enzyme lip1

L1 ANSWER 29 OF 122 USPATFULL on STN

TI Non-Phosphate Dish Detergents

L1 ANSWER 30 OF 122 USPATFULL on STN

TI NOVEL BACILLUS 029cel CELLULASE

L1 ANSWER 31 OF 122 USPATFULL on STN

TI Compositions and Methods Comprising Cellulase Variants with Reduced Affinity to Non-Cellulosic Materials

L1 ANSWER 32 OF 122 USPATFULL on STN

TI ACYL Transferase Useful for Decontamination

L1 ANSWER 33 OF 122 USPATFULL on STN

TI Novel Fungal Enzymes

L1 ANSWER 34 OF 122 USPATFULL on STN

TI Novel Lipolytic Enzyme ELIP

L1 ANSWER 35 OF 122 USPATFULL on STN

TI Thermostable Neutral Metalloproteases

L1 ANSWER 36 OF 122 USPATFULL on STN

TI Perhydrolase Epitopes

L1 ANSWER 37 OF 122 USPATFULL on STN

TI Variant humicola Grisea CBH1.1

L1 ANSWER 38 OF 122 USPATFULL on STN

TI BGL7 Beta-Glucosidase and Nucleic Acids Encoding The Same

L1 ANSWER 39 OF 122 USPATFULL on STN

TI EGVII Endoglucanase and Nucleic Acids Encoding The Same

L1 ANSWER 40 OF 122 USPATFULL on STN

TI Novel CBH1 Homologs And Variant CBH1 Cellulases

L1 ANSWER 41 OF 122 USPATFULL on STN

TI Composition Comprising A Coupled Enzyme System

L1 ANSWER 42 OF 122 USPATFULL on STN

TI Novel Fungal Enzymes

L1 ANSWER 43 OF 122 USPATFULL on STN
TI Bacillus mHKcel Cellulase

L1 ANSWER 44 OF 122 USPATFULL on STN
TI Variant Humicola Grisea CBH1.1

L1 ANSWER 45 OF 122 USPATFULL on STN
TI KAPPA-CARRAGEENASE AND KAPPA-CARRAGEENASE-CONTAINING COMPOSITIONS

L1 ANSWER 46 OF 122 USPATFULL on STN
TI OPTICALLY-DETECTABLE ENZYME SUBSTRATES AND THEIR METHOD OF USE

L1 ANSWER 47 OF 122 USPATFULL on STN
TI EGVI Endoglucanase and Nucleic Acids Encoding the Same

L1 ANSWER 48 OF 122 USPATFULL on STN
TI IN VIVO OPTICAL IMAGING

L1 ANSWER 49 OF 122 USPATFULL on STN
TI MASKING BACKGROUND FLUORESCENCE AND LUMINESCENCE IN THE OPTICAL ANALYSIS OF BIOMEDICAL ASSAYS

L1 ANSWER 50 OF 122 USPATFULL on STN
TI POLYOL OXIDASES

L1 ANSWER 51 OF 122 USPATFULL on STN
TI Use and production of storage-stable neutral metalloprotease

L1 ANSWER 52 OF 122 USPATFULL on STN
TI Compositions and methods utilizing DNA polymerases

L1 ANSWER 53 OF 122 USPATFULL on STN
TI Cleaning compositions comprising transglucosidase

L1 ANSWER 54 OF 122 USPATFULL on STN
TI Novel Laccases, Compositions And Methods of Use

L1 ANSWER 55 OF 122 USPATFULL on STN
TI LACCASE MEDIATORS AND METHODS OF USE

L1 ANSWER 56 OF 122 USPATFULL on STN
TI BGL5 Beta-glucosidase and nucleic acids encoding the same

L1 ANSWER 57 OF 122 USPATFULL on STN
TI Perhydrolase

L1 ANSWER 58 OF 122 USPATFULL on STN
TI BGL3 Beta-Glucosidase and nucleic acids encoding the same

L1 ANSWER 59 OF 122 USPATFULL on STN
TI Protease variants active over a broad temperature range

L1 ANSWER 60 OF 122 USPATFULL on STN
TI Surface active bleach and dynamic pH

L1 ANSWER 61 OF 122 USPATFULL on STN
TI Detergents with stabilized enzyme systems

L1 ANSWER 62 OF 122 USPATFULL on STN

TI Novel Lipolytic Enzyme Elip

L1 ANSWER 63 OF 122 USPATFULL on STN

TI Novel Lipolytic Enzyme Lip2

L1 ANSWER 64 OF 122 USPATFULL on STN

TI EGVI endoglucanase and nucleic acids encoding the same

L1 ANSWER 65 OF 122 USPATFULL on STN

TI EGVII endoglucanase and nucleic acids encoding the same

L1 ANSWER 66 OF 122 USPATFULL on STN

TI Novel variant hypocrea jecorina CBH1 cellulases

L1 ANSWER 67 OF 122 USPATFULL on STN

TI Novel bacillus 029cel cellulase

L1 ANSWER 68 OF 122 USPATFULL on STN

TI Enzyme for the production of long chain peracid

L1 ANSWER 69 OF 122 USPATFULL on STN

TI Novel bacillus bagcel cellulase

L1 ANSWER 70 OF 122 USPATFULL on STN

TI Novel bacillus mhkcel cellulase

L1 ANSWER 71 OF 122 USPATFULL on STN

TI Novel EGIII-like enzymes, DNA encoding such enzymes and methods for producing such enzymes

L1 ANSWER 72 OF 122 USPATFULL on STN

TI Bgl6 beta-glucosidase and nucleic acids encoding the same

L1 ANSWER 73 OF 122 USPATFULL on STN

TI Novel variant hypocrea jecorina CBH2 cellulases

L1 ANSWER 74 OF 122 USPATFULL on STN

TI EGVI endoglucanase and nucleic acids encoding the same

L1 ANSWER 75 OF 122 USPATFULL on STN

TI EGVI endoglucanase and nucleic acids encoding the same

L1 ANSWER 76 OF 122 USPATFULL on STN

TI EGVII endoglucanase and nucleic acids encoding the same

L1 ANSWER 77 OF 122 USPATFULL on STN

TI EGVII endoglucanase and nucleic acids encoding the same

L1 ANSWER 78 OF 122 USPATFULL on STN

TI Exo-endo cellulase fusion protein

L1 ANSWER 79 OF 122 USPATFULL on STN

TI BGL4 beta-glucosidase and nucleic acids encoding the same

L1 ANSWER 80 OF 122 USPATFULL on STN

TI Novel variant hypocrea jecorina CBH1cellulases

L1 ANSWER 81 OF 122 USPATFULL on STN

TI BGL5 beta-glucosidase and nucleic acids encoding the same

L1 ANSWER 82 OF 122 USPATFULL on STN

TI Optically-detectable enzyme substrates and their method of use

L1 ANSWER 83 OF 122 USPATFULL on STN

TI BGL3 beta-glucosidase and nucleic acids encoding the same

L1 ANSWER 84 OF 122 USPATFULL on STN

TI BGL3 beta-glucosidase and nucleic acids encoding the same

L1 ANSWER 85 OF 122 USPATFULL on STN

TI Natural product based apoptosis inducers

L1 ANSWER 86 OF 122 USPATFULL on STN

TI Novel CBH1 homologs and variant CBH1 cellulases

L1 ANSWER 87 OF 122 USPATFULL on STN

TI Variant humicola grisea CBH1.1

L1 ANSWER 88 OF 122 USPATFULL on STN

TI BGL7 beta-glucosidase and nucleic acids encoding the same

L1 ANSWER 89 OF 122 USPATFULL on STN

TI Compositions and methods utilizing DNA polymerases

L1 ANSWER 90 OF 122 USPATFULL on STN

TI Mutant EGIII cellulase, DNA encoding such EGIII compositions and methods for obtaining same

L1 ANSWER 91 OF 122 USPATFULL on STN

TI Image forming device

L1 ANSWER 92 OF 122 USPATFULL on STN

TI CHRYSSOPORIUM CELLULASE AND METHODS OF USE

L1 ANSWER 93 OF 122 USPATFULL on STN

TI Compositions and methods utilizing DNA polymerases

L1 ANSWER 94 OF 122 USPATFULL on STN

TI BGL4 beta-glucosidase and nucleic acids encoding the same

L1 ANSWER 95 OF 122 USPATFULL on STN

TI BGL5 beta-glucosidase and nucleic acids encoding the same

L1 ANSWER 96 OF 122 USPATFULL on STN

TI EGVIII endoglucanase and nucleic acids encoding the same

L1 ANSWER 97 OF 122 USPATFULL on STN

TI EGVII endoglucanase and nucleic acids encoding the same

L1 ANSWER 98 OF 122 USPATFULL on STN

TI EGVVI endoglucanase and nucleic acids encoding the same

L1 ANSWER 99 OF 122 USPATFULL on STN

TI Variant EGIII-like cellulase compositions

L1 ANSWER 100 OF 122 USPATFULL on STN

TI Masking of the background fluorescence and luminescence in the optical analysis of biomedical assays

L1 ANSWER 101 OF 122 USPATFULL on STN

TI Mutant EGIII cellulase, DNA encoding such EGIII compositions and methods for obtaining same

L1 ANSWER 102 OF 122 USPATFULL on STN
TI BGL3 beta-glucosidase and nucleic acids encoding the same

L1 ANSWER 103 OF 122 USPATFULL on STN
TI Cellulase for use in industrial processes

L1 ANSWER 104 OF 122 USPATFULL on STN
TI Mutant EGIII cellulase, DNA encoding such EGIII compositions and methods for obtaining same

L1 ANSWER 105 OF 122 USPATFULL on STN
TI Method and compositions for treating cellulose containing fabrics using truncated cellulase enzyme compositions

L1 ANSWER 106 OF 122 USPATFULL on STN
TI Cellulase for use in industrial processes

L1 ANSWER 107 OF 122 USPATFULL on STN
TI Mutant EGIII cellulase, DNA encoding such EGIII compositions and methods for obtaining same

L1 ANSWER 108 OF 122 USPATFULL on STN
TI MASKING BACKGROUND FLUORESCENCE AND LUMINESCENCE IN OPTICAL ANALYSIS OF BIOMEDICAL ASSAYS

L1 ANSWER 109 OF 122 USPATFULL on STN
TI Masking background fluorescence and luminescence in optical analysis of biomedical assays

L1 ANSWER 110 OF 122 USPATFULL on STN
TI Masking of the background fluorescence and luminescence in the optical analysis of biomedical assays

L1 ANSWER 111 OF 122 USPATFULL on STN
TI Variant EGIII-like cellulase compositions

L1 ANSWER 112 OF 122 USPATFULL on STN
TI Method and compositions for treating cellulose containing fabrics using truncated cellulase enzyme compositions

L1 ANSWER 113 OF 122 USPATFULL on STN
TI Mutant EGIII cellulase, DNA encoding such EGIII compositions and methods for obtaining same

L1 ANSWER 114 OF 122 USPATFULL on STN
TI Purified cellulase and method of producing

L1 ANSWER 115 OF 122 USPATFULL on STN
TI Treating cellulosic materials with cellulases from chrysosporium

L1 ANSWER 116 OF 122 USPATFULL on STN
TI Oversized cellulase compositions for use in detergent compositions and in the treatment of textiles

L1 ANSWER 117 OF 122 USPATFULL on STN
TI Mutant Thermanospora spp. cellulase

L1 ANSWER 118 OF 122 USPATFULL on STN
TI Cellulase compositions and methods of use

L1 ANSWER 119 OF 122 USPATFULL on STN
TI Chromene dyes

L1 ANSWER 120 OF 122 USPATFULL on STN
TI Article identification material and method and apparatus for using it

L1 ANSWER 121 OF 122 USPATFULL on STN
TI INSPECTION PENETRANT DEVELOPMENT PROCESS EMPLOYING FUSIBLE WAXES

L1 ANSWER 122 OF 122 USPATFULL on STN
TI DEVELOPERS FOR INSPECTION PENETRANTS EMPLOYING FUSIBLE WAXES

=> d 11 100-122 ibib abs

L1 ANSWER 100 OF 122 USPATFULL on STN
ACCESSION NUMBER: 2003:133996 USPATFULL <<LOGINID::20110427>>
TITLE: Masking of the background fluorescence and luminescence
in the optical analysis of biomedical assays
INVENTOR(S): Krahn, Thomas, Hagen, GERMANY, FEDERAL REPUBLIC OF
Paffhausen, Wolfgang, Leverkusen, GERMANY, FEDERAL
REPUBLIC OF
Schade, Andreas, Essen, GERMANY, FEDERAL REPUBLIC OF
Bechem, Martin, Wuppertal, GERMANY, FEDERAL REPUBLIC OF
Schmidt, Delf, Wuppertal, GERMANY, FEDERAL REPUBLIC OF

| | NUMBER | KIND | DATE |
|-----------------------|--|------|---------------|
| PATENT INFORMATION: | US 20030092081 | A1 | 20030515 |
| | US 7138280 | B2 | 20061121 |
| APPLICATION INFO.: | US 2002-263607 | A1 | 20021003 (10) |
| RELATED APPLN. INFO.: | Division of Ser. No. US 2001-966522, filed on 28 Sep 2001, PENDING | | |

| | NUMBER | DATE |
|-----------------------|--|----------|
| PRIORITY INFORMATION: | DE 1996-19621312 | 19960528 |
| DOCUMENT TYPE: | Utility | |
| FILE SEGMENT: | APPLICATION | |
| LEGAL REPRESENTATIVE: | KURT BRISCOE, NORRIS, MC LAUGHLIN & MARCUS, P.A., 220
EAST 42ND STREET, 30TH FLOOR, NEW YORK, NY, 10017 | |
| NUMBER OF CLAIMS: | 3 | |
| EXEMPLARY CLAIM: | 1 | |
| NUMBER OF DRAWINGS: | 10 Drawing Page(s) | |
| LINE COUNT: | 438 | |

CAS INDEXING IS AVAILABLE FOR THIS PATENT.

AB In a process for the quantitative optical analysis of fluorescently labelled biological cells 5, a cell layer on a transparent support at the bottom 2 of a reaction vessel 1 is in contact with a solution 3 containing the fluorescent dye 4. The sensitivity of analytical detection can be considerably improved if to the fluorescent dye 4 already present in addition a masking dye 9, which absorbs the excitation light 6 for the fluorescent dye 4 and/or its emission light 7, is added to the solution 3 and/or if a separating layer 10 permeable to the solution and absorbing and/or reflecting the excitation light 6 or the emission light 7 is applied to the cell layer at the bottom 2. This process can also be used for improving the sensitivity in the quantitative optical analysis of a luminescent biological cell layer. The separating layer 10 must in this case be composed such that it has a high power of reflection for the luminescent light 11. Analogously,

these process principles can also be used in receptor studies for the masking of the interfering background radiation in the quantitative optical analysis of fluorescently or luminescently labelled reaction components. In this case, a receptor layer 12 at the bottom 2 of a reaction vessel 1 is in contact with a solution (supernatant 3) in which a fluorescent or luminescent ligand 13 is dissolved. The sensitivity and accuracy of the analytical detection can be considerably improved here if a masking dye 9 which absorbs the excitation light 6 for the fluorescent dye and/or its emission light or (in the case of luminescent ligands) the luminescent light is added to the supernatant 3. Instead of the masking dye in the solution 3 or optionally as an additional measure, a separating layer 10 permeable to the solution 3 and absorbing and/or reflecting the excitation light 6 and/or the emission light or the luminescent light can be applied to the cell or receptor layer 12 at the bottom 2.

CAS INDEXING IS AVAILABLE FOR THIS PATENT.

L1 ANSWER 101 OF 122 USPATFULL on STN
ACCESSION NUMBER: 2003:124326 USPATFULL <<LOGINID::20110427>>
TITLE: Mutant EGIII cellulase, DNA encoding such EGIII compositions and methods for obtaining same
INVENTOR(S): Fowler, Timothy, Bainbridge Island, UNITED KINGDOM Mitchinson, Colin, Half Moon Bay, CA, UNITED STATES

| | NUMBER | KIND | DATE |
|--|--|------|---------------|
| PATENT INFORMATION: | US 20030084515 | A1 | 20030508 |
| | US 6582750 | B2 | 20030624 |
| APPLICATION INFO.: | US 2002-261997 | A1 | 20020930 (10) |
| RELATED APPLN. INFO.: | Division of Ser. No. US 2002-75872, filed on 13 Feb 2002, GRANTED, Pat. No. US 6500211 Continuation of Ser. No. US 2000-633084, filed on 4 Aug 2000, GRANTED, Pat. No. US 6407046 Continuation-in-part of Ser. No. US 1998-146770, filed on 3 Sep 1998, GRANTED, Pat. No. US 6187732 | | |
| DOCUMENT TYPE: | Utility | | |
| FILE SEGMENT: | APPLICATION | | |
| LEGAL REPRESENTATIVE: | Genencor International, Inc., 925 Page Mill Road, Palo Alto, CA, 94034-1013 | | |
| NUMBER OF CLAIMS: | 17 | | |
| EXEMPLARY CLAIM: | 1 | | |
| NUMBER OF DRAWINGS: | 5 Drawing Page(s) | | |
| LINE COUNT: | 1685 | | |
| CAS INDEXING IS AVAILABLE FOR THIS PATENT. | | | |
| AB | The present invention relates to variant EGIII cellulases that have improved stability and/or performance. The variant cellulases have replacements at sensitive residues to improve stability and/or performance. | | |

CAS INDEXING IS AVAILABLE FOR THIS PATENT.

L1 ANSWER 102 OF 122 USPATFULL on STN
ACCESSION NUMBER: 2003:120298 USPATFULL <<LOGINID::20110427>>
TITLE: BGL3 beta-glucosidase and nucleic acids encoding the same
INVENTOR(S): Dunn-Coleman, Nigel, Los Gatos, CA, UNITED STATES Geodegebuur, Frits, Vlaardingen, NETHERLANDS Ward, Michael, San Francisco, CA, UNITED STATES Yao, Jian, Sunnyvale, CA, UNITED STATES

| | NUMBER | KIND | DATE |
|-----------------------|---|------|--------------|
| PATENT INFORMATION: | US 20030082779 | A1 | 20030501 |
| | US 6982159 | B2 | 20060103 |
| APPLICATION INFO.: | US 2001-957880 | A1 | 20010921 (9) |
| DOCUMENT TYPE: | Utility | | |
| FILE SEGMENT: | APPLICATION | | |
| LEGAL REPRESENTATIVE: | VICTORIA L. BOYD, GENENCOR INTERNATIONAL, INC., 925 PAGE MILL ROAD, PALO ALTO, CA, 94034-1013 | | |
| NUMBER OF CLAIMS: | 28 | | |
| EXEMPLARY CLAIM: | 1 | | |
| NUMBER OF DRAWINGS: | 2 Drawing Page(s) | | |
| LINE COUNT: | 1915 | | |

CAS INDEXING IS AVAILABLE FOR THIS PATENT.

AB The present invention provides a novel β-glucosidase nucleic acid sequence, designated bgl3, and the corresponding BGL3 amino acid sequence. The invention also provides expression vectors and host cells comprising a nucleic acid sequence encoding BGL3, recombinant BGL3 proteins and methods for producing the same.

CAS INDEXING IS AVAILABLE FOR THIS PATENT.

L1 ANSWER 103 OF 122 USPATFULL on STN
 ACCESSION NUMBER: 2002:337907 USPATFULL <<LOGINID::20110427>>
 TITLE: Cellulase for use in industrial processes
 INVENTOR(S): Clarkson, Kathleen A., San Francisco, CA, UNITED STATES
 Swanson, Barbara, San Francisco, CA, UNITED STATES
 Winetzky, Deborah, South San Francisco, CA, UNITED STATES

| | NUMBER | KIND | DATE |
|-----------------------|---|------|---------------|
| PATENT INFORMATION: | US 20020193272 | A1 | 20021219 |
| APPLICATION INFO.: | US 2002-172480 | A1 | 20020614 (10) |
| RELATED APPLN. INFO.: | Division of Ser. No. US 1996-719506, filed on 25 Sep 1996, PENDING | | |
| DOCUMENT TYPE: | Utility | | |
| FILE SEGMENT: | APPLICATION | | |
| LEGAL REPRESENTATIVE: | Genencor International, Inc., 925 Page Mill Road, Palo Alto, CA, 94034-1013 | | |
| NUMBER OF CLAIMS: | 19 | | |
| EXEMPLARY CLAIM: | 1 | | |
| NUMBER OF DRAWINGS: | 6 Drawing Page(s) | | |
| LINE COUNT: | 1224 | | |

CAS INDEXING IS AVAILABLE FOR THIS PATENT.

AB A method for treating cellulosic materials is disclosed which comprises contacting the cellulosic material with a cellulase obtainable from Thermomonospora fusca corresponding to E5 or a derivative thereof. Particularly preferred methods comprise stonewashing and detergent cleaning of cotton fabrics, the production of paper products, as an additive to animal feed and in the production of food, starch, ethanol and sugar.

CAS INDEXING IS AVAILABLE FOR THIS PATENT.

L1 ANSWER 104 OF 122 USPATFULL on STN
 ACCESSION NUMBER: 2002:295069 USPATFULL <<LOGINID::20110427>>
 TITLE: Mutant EGIII cellulase, DNA encoding such EGIII compositions and methods for obtaining same
 INVENTOR(S): Fowler, Timothy, Bainbridge Island, WA, UNITED STATES
 Mitchinson, Colin, Half Moon Bay, CA, UNITED STATES

| | NUMBER | KIND | DATE |
|--|--|------|---------------|
| PATENT INFORMATION: | US 20020165114 | A1 | 20021107 |
| | US 6500211 | B2 | 20021231 |
| APPLICATION INFO.: | US 2002-75872 | A1 | 20020213 (10) |
| RELATED APPLN. INFO.: | Continuation of Ser. No. US 2000-633084, filed on 4 Aug 2000, PENDING Continuation-in-part of Ser. No. US 1998-146770, filed on 3 Sep 1998, GRANTED, Pat. No. US 6187732 | | |
| DOCUMENT TYPE: | Utility | | |
| FILE SEGMENT: | APPLICATION | | |
| LEGAL REPRESENTATIVE: | Genencor International, Inc., 925 Page Mill Road, Palo Alto, CA, 94034-1013 | | |
| NUMBER OF CLAIMS: | 17 | | |
| EXEMPLARY CLAIM: | 1 | | |
| NUMBER OF DRAWINGS: | 5 Drawing Page(s) | | |
| LINE COUNT: | 1685 | | |
| CAS INDEXING IS AVAILABLE FOR THIS PATENT. | | | |
| AB | The present invention relates to variant EGIII cellulases that have improved stability and/or performance. The variant cellulases have replacements at sensitive residues to improve stability and/or performance. | | |

CAS INDEXING IS AVAILABLE FOR THIS PATENT.

| | | |
|----------------------|---|--------|
| L1 ANSWER 105 OF 122 | USPATFULL | on STN |
| ACCESSION NUMBER: | 2002:294731 USPATFULL <<LOGINID::20110427>> | |
| TITLE: | Method and compositions for treating cellulose containing fabrics using truncated cellulase enzyme compositions | |
| INVENTOR(S): | Fowler, Timothy Fowler, San Carlos, CA, UNITED STATES
Clarkson, Kathleen A., San Francisco, CA, UNITED STATES
Ward, Michael, San Francisco, CA, UNITED STATES
Collier, Katherine D., Redwood City, CA, UNITED STATES
Larenas, Edmund, Moss Beach, CA, UNITED STATES | |

| | NUMBER | KIND | DATE |
|--|---|------|--------------|
| PATENT INFORMATION: | US 20020164774 | A1 | 20021107 |
| | US 6620605 | B2 | 20030916 |
| APPLICATION INFO.: | US 2001-916494 | A1 | 20010727 (9) |
| RELATED APPLN. INFO.: | Continuation of Ser. No. US 1995-382452, filed on 1 Feb 1995, PATENTED Continuation-in-part of Ser. No. US 1993-169948, filed on 17 Dec 1993, PATENTED | | |
| DOCUMENT TYPE: | Utility | | |
| FILE SEGMENT: | APPLICATION | | |
| LEGAL REPRESENTATIVE: | Genencor International, Inc., 925 Page Mill Road, Palo Alto, CA, 94034-1013 | | |
| NUMBER OF CLAIMS: | 38 | | |
| EXEMPLARY CLAIM: | 1 | | |
| NUMBER OF DRAWINGS: | 13 Drawing Page(s) | | |
| LINE COUNT: | 2890 | | |
| CAS INDEXING IS AVAILABLE FOR THIS PATENT. | | | |
| AB | Improved methods of treating cellulose containing fabrics with cellulase comprising contacting the cellulose fabrics with truncated cellulase enzyme. Treatment of cellulose containing fabrics with cellulase core domains of the invention are disclosed as offering specific advantages of reduced redeposition of dye and increased abrasion. | | |

CAS INDEXING IS AVAILABLE FOR THIS PATENT.

L1 ANSWER 106 OF 122 USPATFULL on STN
 ACCESSION NUMBER: 2002:238459 USPATFULL <<LOGINID::20110427>>
 TITLE: Cellulase for use in industrial processes
 INVENTOR(S): Clarkson, Kathleen A., San Francisco, CA, United States
 Swanson, Barbara, San Francisco, CA, United States
 Winetzky, Deborah, South San Francisco, CA, United
 States
 PATENT ASSIGNEE(S): Genencor International, Inc., Palo Alto, CA, United
 States (U.S. corporation)

| | NUMBER | KIND | DATE |
|-----------------------|---|------|--------------|
| PATENT INFORMATION: | US 6451063 | B1 | 20020917 |
| APPLICATION INFO.: | US 1996-719506 | | 19960925 (8) |
| DOCUMENT TYPE: | Utility | | |
| FILE SEGMENT: | GRANTED | | |
| PRIMARY EXAMINER: | Diamond, Alan | | |
| LEGAL REPRESENTATIVE: | Genencor International, Inc | | |
| NUMBER OF CLAIMS: | 11 | | |
| EXEMPLARY CLAIM: | 1 | | |
| NUMBER OF DRAWINGS: | 11 Drawing Figure(s); 6 Drawing Page(s) | | |
| LINE COUNT: | 1226 | | |

CAS INDEXING IS AVAILABLE FOR THIS PATENT.

AB A method for treating cellulosic materials is disclosed which comprises contacting the cellulosic material with a cellulase obtainable from Thermomonospora fusca corresponding to E5 or a derivative thereof. Particularly preferred methods comprise stonewashing and detergent cleaning of cotton fabrics, the production of paper products, as an additive to animal feed and in the production of food, starch, ethanol and sugar.

CAS INDEXING IS AVAILABLE FOR THIS PATENT.

L1 ANSWER 107 OF 122 USPATFULL on STN
 ACCESSION NUMBER: 2002:144226 USPATFULL <<LOGINID::20110427>>
 TITLE: Mutant EGIII cellulase, DNA encoding such EGIII
 compositions and methods for obtaining same
 INVENTOR(S): Fowler, Timothy, Bainbridge Island, WA, United States
 Mitchinson, Colin, Half Moon Bay, CA, United States
 PATENT ASSIGNEE(S): Genencor International, Inc., Palo Alto, CA, United
 States (U.S. corporation)

| | NUMBER | KIND | DATE |
|-----------------------|--|------|--------------|
| PATENT INFORMATION: | US 6407046 | B1 | 20020618 |
| APPLICATION INFO.: | US 2000-633084 | | 20000804 (9) |
| RELATED APPLN. INFO.: | Continuation-in-part of Ser. No. US 1998-146770, filed
on 3 Sep 1998, now patented, Pat. No. US 6187732 | | |
| DOCUMENT TYPE: | Utility | | |
| FILE SEGMENT: | GRANTED | | |
| PRIMARY EXAMINER: | Delcotto, Gregory | | |
| LEGAL REPRESENTATIVE: | Genencor International, Inc. | | |
| NUMBER OF CLAIMS: | 12 | | |
| EXEMPLARY CLAIM: | 1 | | |
| NUMBER OF DRAWINGS: | 5 Drawing Figure(s); 5 Drawing Page(s) | | |
| LINE COUNT: | 1627 | | |

CAS INDEXING IS AVAILABLE FOR THIS PATENT.

AB The present invention relates to variant EGIII cellulases that have improved stability and/or performance. The variant cellulases have replacements at sensitive residues to improve stability and/or

performance.

CAS INDEXING IS AVAILABLE FOR THIS PATENT.

L1 ANSWER 108 OF 122 USPATFULL on STN
ACCESSION NUMBER: 2002:37557 USPATFULL <<LOGINID::20110427>>
TITLE: MASKING BACKGROUND FLUORESCENCE AND LUMINESCENCE IN
OPTICAL ANALYSIS OF BIOMEDICAL ASSAYS
INVENTOR(S): KRAHN, THOMAS, HAGEN, GERMANY, FEDERAL REPUBLIC OF
PAFFHAUSEN, WOLFGANG, LEVERKUSEN, GERMANY, FEDERAL
REPUBLIC OF
SCHADE, ANDREAS, ESSEN, GERMANY, FEDERAL REPUBLIC OF
BECHEM, MARTIN, WUPPERTAL, GERMANY, FEDERAL REPUBLIC OF
SCHMIDT, DELF, WUPPERTAL, GERMANY, FEDERAL REPUBLIC OF

| | NUMBER | KIND | DATE |
|---------------------|----------------|------|--------------|
| PATENT INFORMATION: | US 20020022274 | A1 | 20020221 |
| | US 6420183 | B2 | 20020716 |
| APPLICATION INFO.: | US 1998-194099 | A1 | 19981120 (9) |
| | WO 1997-EP2662 | | 19970523 |

| | NUMBER | DATE |
|-----------------------|---|----------|
| PRIORITY INFORMATION: | DE 1996-19621312 | 19960528 |
| DOCUMENT TYPE: | Utility | |
| FILE SEGMENT: | APPLICATION | |
| LEGAL REPRESENTATIVE: | NORRIS McLAUGHLIN & MARCUS, P.A., 220 EAST 42nd STREET
30TH FLOOR, NEW YORK, NY, 10017 | |
| NUMBER OF CLAIMS: | 6 | |
| EXEMPLARY CLAIM: | 1 | |
| NUMBER OF DRAWINGS: | 10 Drawing Page(s) | |
| LINE COUNT: | 462 | |

CAS INDEXING IS AVAILABLE FOR THIS PATENT.

AB In a process for the quantitative optical analysis of fluorescently labelled biological cells 5, a cell layer on a transparent support at the bottom 2 of a reaction vessel 1 is in contact with a solution 3 containing the fluorescent dye 4. The sensitivity of analytical detection can be considerably improved if to the fluorescent dye 4 already present in addition a masking dye 9, which absorbs the excitation light 6 for the fluorescent dye 4 and/or its emission light 7, is added to the solution 3 and/or if a separating layer 10 permeable to the solution and absorbing and/or reflecting the excitation light 6 or the emission light 7 is applied to the cell layer at the bottom 2. This process can also be used for improving the sensitivity in the quantitative optical analysis of a luminescent biological cell layer. The separating layer 10 must in this case be composed such that it has a high power of reflection for the luminescent light 11. Analogously, these process principles can also be used in receptor studies for the masking of the interfering background radiation in the quantitative optical analysis of fluorescently or luminescently labelled reaction components. In this case, a receptor layer 12 at the bottom 2 of a reaction vessel 1 is in contact with a solution (supernatant 3) in which a fluorescent or luminescent ligand 13 is dissolved. The sensitivity and accuracy of the analytical detection can be considerably improved here if a masking dye 9 which absorbs the excitation light 6 for the fluorescent dye and/or its emission light or (in the case of luminescent ligands) the luminescent light is added to the supernatant 3. Instead of the masking dye in the solution 3 or optionally as an additional measure, a separating

layer 10 permeable to the solution 3 and absorbing and/or reflecting the excitation light 6 and/or the emission light or the luminescent light can be applied to the cell or receptor layer 12 at the bottom 2.

CAS INDEXING IS AVAILABLE FOR THIS PATENT.

L1 ANSWER 109 OF 122 USPATFULL on STN
ACCESSION NUMBER: 2002:27123 USPATFULL <<LOGINID::20110427>>
TITLE: Masking background fluorescence and luminescence in optical analysis of biomedical assays
INVENTOR(S): Krahn, Thomas, Hagen, GERMANY, FEDERAL REPUBLIC OF Paffhausen, Wolfgang, Leverkusen, GERMANY, FEDERAL REPUBLIC OF Schade, Andreas, Essen, GERMANY, FEDERAL REPUBLIC OF Bechem, Martin, Wuppertal, GERMANY, FEDERAL REPUBLIC OF Schmidt, Delf, Wuppertal, GERMANY, FEDERAL REPUBLIC OF

| | NUMBER | KIND | DATE |
|-----------------------|--|------|--------------|
| PATENT INFORMATION: | US 20020015969 | A1 | 20020207 |
| | US 7063952 | B2 | 20060620 |
| APPLICATION INFO.: | US 2001-966137 | A1 | 20010928 (9) |
| RELATED APPLN. INFO.: | Division of Ser. No. US 1998-194099, filed on 20 Nov 1998, PENDING | | |

| | NUMBER | DATE |
|-----------------------|--|----------|
| PRIORITY INFORMATION: | DE 1996-19621312 | 19960528 |
| DOCUMENT TYPE: | Utility | |
| FILE SEGMENT: | APPLICATION | |
| LEGAL REPRESENTATIVE: | Kurt G. Briscoe, Norris McLaughlin & Marcus, P.A., 30th Floor, 220 East 42nd Street, New York, NY, 10017 | |
| NUMBER OF CLAIMS: | 6 | |
| EXEMPLARY CLAIM: | 1 | |
| NUMBER OF DRAWINGS: | 10 Drawing Page(s) | |
| LINE COUNT: | 462 | |

CAS INDEXING IS AVAILABLE FOR THIS PATENT.

AB In a process for the quantitative optical analysis of fluorescently labelled biological cells 5, a cell layer on a transparent support at the bottom 2 of a reaction vessel 1 is in contact with a solution 3 containing the fluorescent dye 4. The sensitivity of analytical detection can be considerably improved if to the fluorescent dye 4 already present in addition a masking dye 9, which absorbs the excitation light 6 for the fluorescent dye 4 and/or its emission light 7, is added to the solution 3 and/or if a separating layer 10 permeable to the solution and absorbing and/or reflecting the excitation light 6 or the emission light 7 is applied to the cell layer at the bottom 2. This process can also be used for improving the sensitivity in the quantitative optical analysis of a luminescent biological cell layer. The separating layer 10 must in this case be composed such that it has a high power of reflection for the luminescent light 11. Analogously, these process principles can also be used in receptor studies for the masking of the interfering background radiation in the quantitative optical analysis of fluorescently or luminescently labelled reaction components. In this case, a receptor layer 12 at the bottom 2 of a reaction vessel 1 is in contact with a solution (supernatant 3) in which a fluorescent or luminescent ligand 13 is dissolved. The sensitivity and accuracy of the analytical detection can be considerably improved here if a masking dye 9 which absorbs the excitation light 6 for the fluorescent dye and/or its emission

light or (in the case of luminescent ligands) the luminescent light is added to the supernatant 3. Instead of the masking dye in the solution 3 or optionally as an additional measure, a separating layer 10 permeable to the solution 3 and absorbing and/or reflecting the excitation light 6 and/or the emission light or the luminescent light can be applied to the cell or receptor layer 12 at the bottom 2.

CAS INDEXING IS AVAILABLE FOR THIS PATENT.

L1 ANSWER 110 OF 122 USPATFULL on STN
ACCESSION NUMBER: 2002:16874 USPATFULL <<LOGINID::20110427>>
TITLE: Masking of the background fluorescence and luminescence in the optical analysis of biomedical assays
INVENTOR(S): Krahn, Thoams, Hagen, GERMANY, FEDERAL REPUBLIC OF Paffhausen, Wolfgang, Leverkusen, GERMANY, FEDERAL REPUBLIC OF Schade, Andreas, Essen, GERMANY, FEDERAL REPUBLIC OF Bechem, Martin, Wuppertal, GERMANY, FEDERAL REPUBLIC OF Schmidt, Delft, Wuppertal, GERMANY, FEDERAL REPUBLIC OF

| | NUMBER | KIND | DATE |
|-----------------------|--|------|--------------|
| PATENT INFORMATION: | US 20020009754 | A1 | 20020124 |
| APPLICATION INFO.: | US 2001-966522 | A1 | 20010928 (9) |
| RELATED APPLN. INFO.: | Continuation of Ser. No. US 1998-194099, filed on 20 Nov 1998, PENDING | | |

| | NUMBER | DATE |
|-----------------------|--|----------|
| PRIORITY INFORMATION: | DE 1996-19621312 | 19960528 |
| DOCUMENT TYPE: | Utility | |
| FILE SEGMENT: | APPLICATION | |
| LEGAL REPRESENTATIVE: | Kurt G. Briscoe, Norris McLaughlin & Marcus, P.A., 30th Floor, 220 East 42nd Street, New York, NY, 10017 | |
| NUMBER OF CLAIMS: | 6 | |
| EXEMPLARY CLAIM: | 1 | |
| NUMBER OF DRAWINGS: | 10 Drawing Page(s) | |
| LINE COUNT: | 462 | |

CAS INDEXING IS AVAILABLE FOR THIS PATENT.

AB In a process for the quantitative optical analysis of fluorescently labelled biological cells 5, a cell layer on a transparent support at the bottom 2 of a reaction vessel 1 is in contact with a solution 3 containing the fluorescent dye 4. The sensitivity of analytical detection can be considerably improved if to the fluorescent dye 4 already present in addition a masking dye 9, which absorbs the excitation light 6 for the fluorescent dye 4 and/or its emission light 7, is added to the solution 3 and/or if a separating layer 10 permeable to the solution and absorbing and/or reflecting the excitation light 6 or the emission light 7 is applied to the cell layer at the bottom 2. This process can also be used for improving the sensitivity in the quantitative optical analysis of a luminescent biological cell layer. The separating layer 10 must in this case be composed such that it has a high power of reflection for the luminescent light 11. Analogously, these process principles can also be used in receptor studies for the masking of the interfering background radiation in the quantitative optical analysis of fluorescently or luminescently labelled reaction components. In this case, a receptor layer 12 at the bottom 2 of a reaction vessel 1 is in contact with a solution (supernatant 3) in which a fluorescent or luminescent ligand 13 is dissolved. The sensitivity and accuracy of the analytical detection can be considerably improved here

if a masking dye 9 which absorbs the excitation light 6 for the fluorescent dye and/or its emission light or (in the case of luminescent ligands) the luminescent light is added to the supernatant 3. Instead of the masking dye in the solution 3 or optionally as an additional measure, a separating layer 10 permeable to the solution 3 and absorbing and/or reflecting the excitation light 6 and/or the emission light or the luminescent light can be applied to the cell or receptor layer 12 at the bottom 2. (FIGS. 2 and 10)

CAS INDEXING IS AVAILABLE FOR THIS PATENT.

L1 ANSWER 111 OF 122 USPATFULL on STN
ACCESSION NUMBER: 2001:121435 USPATFULL <<LOGINID::20110427>>
TITLE: Variant EGIII-like cellulase compositions
INVENTOR(S): Mitchinson, Colin, Half Moon Bay, CA, United States
Wendt, Dan J., Walnut Creek, CA, United States
PATENT ASSIGNEE(S): Genencor International, Inc., Palo Alto, CA, United States (U.S. corporation)

| | NUMBER | KIND | DATE |
|-----------------------|--|------|--------------|
| PATENT INFORMATION: | US 6268328 | B1 | 20010731 |
| APPLICATION INFO.: | US 1998-216295 | | 19981218 (9) |
| DOCUMENT TYPE: | Utility | | |
| FILE SEGMENT: | GRANTED | | |
| PRIMARY EXAMINER: | Gupta, Yogendra N. | | |
| ASSISTANT EXAMINER: | Ehilo, Eisa | | |
| LEGAL REPRESENTATIVE: | Genencor International, Inc. | | |
| NUMBER OF CLAIMS: | 20 | | |
| EXEMPLARY CLAIM: | 1 | | |
| NUMBER OF DRAWINGS: | 7 Drawing Figure(s); 7 Drawing Page(s) | | |
| LINE COUNT: | 1619 | | |

CAS INDEXING IS AVAILABLE FOR THIS PATENT.

AB The present invention relates to novel variant EGIII or EGIII-like cellulases which have improved stability. The variant cellulases have performance sensitive residues replaced to a residue having improved stability.

CAS INDEXING IS AVAILABLE FOR THIS PATENT.

L1 ANSWER 112 OF 122 USPATFULL on STN
ACCESSION NUMBER: 2001:121303 USPATFULL <<LOGINID::20110427>>
TITLE: Method and compositions for treating cellulose containing fabrics using truncated cellulase enzyme compositions
INVENTOR(S): Fowler, Timothy, San Carlos, CA, United States
Clarkson, Kathleen A., San Francisco, CA, United States
Ward, Michael, San Francisco, CA, United States
Collier, Katherine D., Redwood City, CA, United States
Larenas, Edmund, Moss Beach, CA, United States
PATENT ASSIGNEE(S): Genencor International, Inc., Rochester, NY, United States (U.S. corporation)

| | NUMBER | KIND | DATE |
|-----------------------|---|------|--------------|
| PATENT INFORMATION: | US 6268196 | B1 | 20010731 |
| APPLICATION INFO.: | US 1995-382452 | | 19950201 (8) |
| RELATED APPLN. INFO.: | Continuation-in-part of Ser. No. US 1993-169948, filed on 17 Dec 1993 | | |
| DOCUMENT TYPE: | Utility | | |

FILE SEGMENT: GRANTED
PRIMARY EXAMINER: Patterson, Jr., Charles L.
LEGAL REPRESENTATIVE: Marcus-Werner, LynnGenecor International, Inc.
NUMBER OF CLAIMS: 48
EXEMPLARY CLAIM: 1
NUMBER OF DRAWINGS: 31 Drawing Figure(s); 24 Drawing Page(s)
LINE COUNT: 2131
CAS INDEXING IS AVAILABLE FOR THIS PATENT.

AB Improved methods of treating cellulose containing fabrics with cellulase comprising contacting the cellulose fabrics with truncated cellulase enzyme. Treatment of cellulose containing fabrics with cellulase core domains of the invention are disclosed as offering specific advantages of reduced redeposition of dye and increased abrasion.

CAS INDEXING IS AVAILABLE FOR THIS PATENT.

L1 ANSWER 113 OF 122 USPATFULL on STN
ACCESSION NUMBER: 2001:22178 USPATFULL <<LOGINID::20110427>>
TITLE: Mutant EGIII cellulase, DNA encoding such EGIII compositions and methods for obtaining same
INVENTOR(S): Fowler, Timothy, Bainbridge Island, WA, United States
Mitchinson, Colin, Half Moon Bay, CA, United States
PATENT ASSIGNEE(S): Genencor International, Inc., Rochester, NY, United States (U.S. corporation)

| | NUMBER | KIND | DATE |
|-----------------------|--|------|--------------|
| PATENT INFORMATION: | US 6187732 | B1 | 20010213 |
| APPLICATION INFO.: | US 1998-146770 | | 19980903 (9) |
| DOCUMENT TYPE: | Utility | | |
| FILE SEGMENT: | Granted | | |
| PRIMARY EXAMINER: | Fries, Kery | | |
| LEGAL REPRESENTATIVE: | Faris, Susan K. Genencor International, Incorporated | | |
| NUMBER OF CLAIMS: | 10 | | |
| EXEMPLARY CLAIM: | 1 | | |
| NUMBER OF DRAWINGS: | 4 Drawing Figure(s); 3 Drawing Page(s) | | |
| LINE COUNT: | 1222 | | |

CAS INDEXING IS AVAILABLE FOR THIS PATENT.

AB The present invention relates to variant EGIII cellulases which have improved stability and/or performance. The variant cellulases have replacements at sensitive residues to improve stability and/or performance.

CAS INDEXING IS AVAILABLE FOR THIS PATENT.

L1 ANSWER 114 OF 122 USPATFULL on STN
ACCESSION NUMBER: 2000:9859 USPATFULL <<LOGINID::20110427>>
TITLE: Purified cellulase and method of producing
INVENTOR(S): Bower, Benjamin S., Pacifica, CA, United States
Clarkson, Kathleen A., San Francisco, CA, United States
Collier, Katherine D., Redwood City, CA, United States
Kellis, James T., Portola Valley, CA, United States
Kelly, Moira B., San Francisco, CA, United States
Larenas, Edmund A., Moss Beach, CA, United States
PATENT ASSIGNEE(S): Genencor International, Inc., Rochester, NY, United States (U.S. corporation)

| | NUMBER | KIND | DATE |
|---------------------|----------------|------|--------------|
| PATENT INFORMATION: | US 6017870 | | 20000125 |
| APPLICATION INFO.: | US 1996-728350 | | 19961009 (8) |

DOCUMENT TYPE: Utility
FILE SEGMENT: Granted
PRIMARY EXAMINER: Fries, Kery
LEGAL REPRESENTATIVE: Stone, Christopher L. Genencor International, Inc.
NUMBER OF CLAIMS: 19
EXEMPLARY CLAIM: 1
NUMBER OF DRAWINGS: 3 Drawing Figure(s); 3 Drawing Page(s)
LINE COUNT: 891

CAS INDEXING IS AVAILABLE FOR THIS PATENT.

AB A purified novel cellulase composition is provided which may be isolated from a fermentation culture of *Trichoderma longibrachiatum* and has a molecular weight of about 95-105 kD as approximated on SDS-PAGE (see FIG. 1), a pI of about 5.6-6.8 as estimated on an IEF gel and a pH optimum of about 5.0 on RBB-CMC when measured at 65° C. and pH 4 or lower at temperatures of 40° C. and 50° C.

CAS INDEXING IS AVAILABLE FOR THIS PATENT.

L1 ANSWER 115 OF 122 USPATFULL on STN
ACCESSION NUMBER: 2000:7208 USPATFULL <<LOGINID::20110427>>
TITLE: Treating cellulosic materials with cellulases from chrysosporium
INVENTOR(S): Emalfarb, Mark Aaron, Jupiter, FL, United States
Ben-Bassat, Arie, Wilmington, DE, United States
Sinitsyn, Arkady Panteleimonovich, Moscow, Russian Federation
PATENT ASSIGNEE(S): Emalfarb, Mark A., Jupiter, FL, United States (U.S. individual)

| | NUMBER | KIND | DATE |
|-----------------------|--|------|--------------|
| PATENT INFORMATION: | US 6015707 | | 20000118 |
| APPLICATION INFO.: | US 1998-106026 | | 19980629 (9) |
| RELATED APPLN. INFO.: | Division of Ser. No. US 1996-731170, filed on 10 Oct 1996, now patented, Pat. No. US 5811381 | | |

DOCUMENT TYPE: Utility
FILE SEGMENT: Granted
PRIMARY EXAMINER: Wax, Robert A.
LEGAL REPRESENTATIVE: Morgan & Finnegan, LLP
NUMBER OF CLAIMS: 50
EXEMPLARY CLAIM: 1
LINE COUNT: 1900

CAS INDEXING IS AVAILABLE FOR THIS PATENT.

AB The subject invention relates to novel compositions of neutral and/or alkaline cellulase and methods for obtaining neutral and/or alkaline cellulase compositions from *Chrysosporium* cultures, in particular *Chrysosporium lucknowense*. This invention also provides mutants and methods of generating mutants of *Chrysosporium* capable of producing neutral and/or alkaline cellulase. This invention also relates to the genes encoding the enzymes comprising the neutral and/or alkaline cellulase composition. In addition, this invention provides methods of culturing *Chrysosporium* to produce neutral and/or alkaline cellulases. The neutral and/or alkaline cellulase compositions of the subject invention can be used in a variety of processes including stone washing of clothing, detergent processes, deinking and biobleaching of paper & pulp and treatment of waste streams.

CAS INDEXING IS AVAILABLE FOR THIS PATENT.

L1 ANSWER 116 OF 122 USPATFULL on STN
ACCESSION NUMBER: 1999:151002 USPATFULL <<LOGINID::20110427>>

TITLE: Oversized cellulase compositions for use in detergent compositions and in the treatment of textiles
 INVENTOR(S): Bower, Benjamin S., Pacifica, CA, United States
 Clarkson, Kathleen A., San Francisco, CA, United States
 Larenas, Edmund A., Moss Beach, CA, United States
 Ward, Michael, San Francisco, CA, United States
 PATENT ASSIGNEE(S): Genencor International, Inc., Rochester, NY, United States (U.S. corporation)

| | NUMBER | KIND | DATE |
|-----------------------|---|------|--------------|
| PATENT INFORMATION: | US 5989899 | | 19991123 |
| APPLICATION INFO.: | US 1996-774065 | | 19961223 (8) |
| DOCUMENT TYPE: | Utility | | |
| FILE SEGMENT: | Granted | | |
| PRIMARY EXAMINER: | Patterson, Jr., Charles | | |
| LEGAL REPRESENTATIVE: | Stone, Christopher L. | | |
| NUMBER OF CLAIMS: | 10 | | |
| EXEMPLARY CLAIM: | 1 | | |
| NUMBER OF DRAWINGS: | 11 Drawing Figure(s); 9 Drawing Page(s) | | |
| LINE COUNT: | 1212 | | |

CAS INDEXING IS AVAILABLE FOR THIS PATENT.

AB The present invention relates to a modified cellulase protein which is advantageously used in the treatment of textiles. Particularly, a method for treating a cellulose containing fabric is provided comprising the steps of forming an aqueous solution comprising a cellulase composition which differs from a precursor cellulase in that it has been enlarged and contacting the aqueous solution with a cellulose containing fabric for a time and under conditions appropriate to treat the fabric. The enlarged cellulase may comprise a multimeric composition of two or more distinct cellulase units or a single cellulase which has had adhered thereto polymeric or fibrous constituents.

CAS INDEXING IS AVAILABLE FOR THIS PATENT.

L1 ANSWER 117 OF 122 USPATFULL on STN
 ACCESSION NUMBER: 1999:21543 USPATFULL <<LOGINID::20110427>>
 TITLE: Mutant Thermomonospora spp. cellulase
 INVENTOR(S): Goedegebuur, Frits, Vloordingen, Netherlands
 Power, Scott D., San Bruno, CA, United States
 Winetzky, Deborah, Foster City, CA, United States
 Van Kimmenade, Anita, San Bruno, CA, United States
 Yoon, Mee-Young, Palo Alto, CA, United States
 PATENT ASSIGNEE(S): Genencor International, Inc., Rochester, NY, United States (U.S. corporation)

| | NUMBER | KIND | DATE |
|-----------------------|--|------|--------------|
| PATENT INFORMATION: | US 5871550 | | 19990216 |
| APPLICATION INFO.: | US 1997-924440 | | 19970826 (8) |
| DOCUMENT TYPE: | Utility | | |
| FILE SEGMENT: | Granted | | |
| PRIMARY EXAMINER: | Fries, Kery | | |
| LEGAL REPRESENTATIVE: | Stone, Christopher L. | | |
| NUMBER OF CLAIMS: | 11 | | |
| EXEMPLARY CLAIM: | 1 | | |
| NUMBER OF DRAWINGS: | 5 Drawing Figure(s); 4 Drawing Page(s) | | |
| LINE COUNT: | 1297 | | |

CAS INDEXING IS AVAILABLE FOR THIS PATENT.

AB A mutant cellulase obtainable from Thermomonospora spp is provided which differs from a precursor cellulase in that it has been genetically

engineered to introduce a substitution, deletion or addition of an amino acid residue to said precursor cellulase which provided improved activity in a detergent. Preferably, the substitution is at a residue corresponding to T140 in Thermomonospora fusca.

CAS INDEXING IS AVAILABLE FOR THIS PATENT.

L1 ANSWER 118 OF 122 USPATFULL on STN
ACCESSION NUMBER: 1998:115696 USPATFULL <<LOGINID::20110427>>
TITLE: Cellulase compositions and methods of use
INVENTOR(S): Emalfarb, Mark Aaron, Jupiter, FL, United States
Ben-Bassat, Arie, Wilmington, DE, United States
Burlingame, Richard P., Manitowoc, WI, United States
Chernoglaзов, Владимир Михайлович, Moscow, Russian Federation
Окунев, Олег Николаевич, Moscow, Russian Federation
Olson, Philip T., Manitowoc, WI, United States
Sinitsyn, Arkady Panteleimonovich, Moscow, Russian Federation
Solovjeva, Irina Vladimirovna, Moscow Region, Russian Federation
PATENT ASSIGNEE(S): Emalfarb, Mark A., Jupiter, FL, United States (U.S. individual)

| NUMBER | KIND | DATE |
|--------|------|------|
|--------|------|------|

| | | |
|-----------------------|-------------------|--------------|
| PATENT INFORMATION: | US 5811381 | 19980922 |
| APPLICATION INFO.: | US 1996-731170 | 19961010 (8) |
| DOCUMENT TYPE: | Utility | |
| FILE SEGMENT: | Granted | |
| PRIMARY EXAMINER: | Lau, Kawai | |
| LEGAL REPRESENTATIVE: | Morgan & Finnegan | |
| NUMBER OF CLAIMS: | 44 | |
| EXEMPLARY CLAIM: | 12 | |
| LINE COUNT: | 2026 | |

CAS INDEXING IS AVAILABLE FOR THIS PATENT.

AB The subject invention relates to novel compositions of neutral and/or alkaline cellulase and methods for obtaining neutral and/or alkaline cellulase compositions from Chrysosporium cultures, in particular Chrysosporium lucknowense. This invention also provides mutants and methods of generating mutants of Chrysosporium capable of producing neutral and/or alkaline cellulose. This invention also relates to the genes encoding the enzymes comprising the neutral and/or alkaline cellulase composition. In addition, this invention provides methods of culturing Chrysosporium to produce neutral and/or alkaline cellulases. The neutral and/or alkaline cellulase compositions of the subject invention can be used in a variety of processes including stone washing of clothing, detergent processes, deinking and biobleaching of paper & pulp and treatment of waste streams.

CAS INDEXING IS AVAILABLE FOR THIS PATENT.

L1 ANSWER 119 OF 122 USPATFULL on STN
ACCESSION NUMBER: 1998:14946 USPATFULL <<LOGINID::20110427>>
TITLE: Chromene dyes
INVENTOR(S): DeBoer, Charles David, Palmyra, NY, United States
Robello, Douglas Robert, Webster, NY, United States
Tutt, Lee William, Webster, NY, United States
PATENT ASSIGNEE(S): Eastman Kodak Company, Rochester, NY, United States (U.S. corporation)

| | NUMBER | KIND | DATE |
|-----------------------|--------------------|------|--------------|
| PATENT INFORMATION: | US 5717106 | | 19980210 |
| APPLICATION INFO.: | US 1996-724291 | | 19960916 (8) |
| DOCUMENT TYPE: | Utility | | |
| FILE SEGMENT: | Granted | | |
| PRIMARY EXAMINER: | Ramsuer, Robert W. | | |
| LEGAL REPRESENTATIVE: | Cole, Harold E. | | |
| NUMBER OF CLAIMS: | 15 | | |
| EXEMPLARY CLAIM: | 1 | | |
| LINE COUNT: | 447 | | |

CAS INDEXING IS AVAILABLE FOR THIS PATENT.

AB A yellow dye having the formula: ##STR1## wherein: R.¹, R.², R.³ and R.⁴ each independently represents hydrogen, halogen, or an alkoxy group of from 1 to about 6 carbon atoms; and
Z.¹ and Z.² each independently represents cyano, esterified carboxy, amide, a substituted or unsubstituted benzoxazole, or alkylsulfonyl; or may be taken together to form a pyrazolone, barbituric acid or Meldrum's acid residue.

CAS INDEXING IS AVAILABLE FOR THIS PATENT.

| | |
|----------------------|--|
| L1 ANSWER 120 OF 122 | USPATFULL on STN |
| ACCESSION NUMBER: | 85:53689 USPATFULL <>LOGINID::20110427>> |
| TITLE: | Article identification material and method and apparatus for using it |
| INVENTOR(S): | Acitelli, Mario A., Charlotte, NC, United States
Tynan, Richard F., Charlotte, NC, United States
Wayson, Alan R., Concord, NC, United States |
| PATENT ASSIGNEE(S): | International Business Machines Corporation, Armonk, NY, United States (U.S. corporation) |

| | NUMBER | KIND | DATE |
|-----------------------|---|------|--------------|
| PATENT INFORMATION: | US 4540595 | | 19850910 |
| APPLICATION INFO.: | US 1982-433311 | | 19821007 (6) |
| RELATED APPLN. INFO.: | Continuation-in-part of Ser. No. US 1982-344667, filed on 1 Feb 1982, now abandoned | | |
| DOCUMENT TYPE: | Utility | | |
| FILE SEGMENT: | Granted | | |
| PRIMARY EXAMINER: | Lusignan, Michael R. | | |
| LEGAL REPRESENTATIVE: | Coffman, E. Ronald | | |
| NUMBER OF CLAIMS: | 10 | | |
| EXEMPLARY CLAIM: | 8 | | |
| NUMBER OF DRAWINGS: | 5 Drawing Figure(s); 3 Drawing Page(s) | | |
| LINE COUNT: | 329 | | |

CAS INDEXING IS AVAILABLE FOR THIS PATENT.

AB An ink that fluoresces in the near infrared is used to mark documents such as bank checks for automatic identification. Markings with this ink are reliably detectable, even in the presence of other markings commonly found on such documents. The preferred fluorescent material of our invention is a phenoxazine dye 3,7-BIS(diethylamino) phenoxazonium nitrate.

CAS INDEXING IS AVAILABLE FOR THIS PATENT.

| | |
|----------------------|--|
| L1 ANSWER 121 OF 122 | USPATFULL on STN |
| ACCESSION NUMBER: | 73:6044 USPATFULL <>LOGINID::20110427>> |
| TITLE: | INSPECTION PENETRANT DEVELOPMENT PROCESS EMPLOYING FUSIBLE WAXES |

INVENTOR(S): Alburger, James R., 5007 Hillard Avenue, La Canada, CA,
United States 91011

| | NUMBER | KIND | DATE |
|-----------------------|---|------|--------------|
| PATENT INFORMATION: | US 3715227 | | 19730206 |
| APPLICATION INFO.: | US 1971-127181 | | 19710323 (5) |
| RELATED APPLN. INFO.: | Continuation-in-part of Ser. No. US 1969-799701, filed
on 17 Feb 1969, now patented, Pat. No. US 3607333 | | |
| DOCUMENT TYPE: | Utility | | |
| FILE SEGMENT: | Granted | | |
| PRIMARY EXAMINER: | Leavitt, Alfred L. | | |
| ASSISTANT EXAMINER: | Esposito, M. F. | | |
| NUMBER OF CLAIMS: | 2 | | |
| NUMBER OF DRAWINGS: | 2 Drawing Figure(s); 1 Drawing Page(s) | | |
| LINE COUNT: | 703 | | |

CAS INDEXING IS AVAILABLE FOR THIS PATENT.

AB An improved process of inspection penetrant development employing a high-sensitivity, high-resolving power inspection penetrant developer in which the active developing ingredient is a waxy substance which is a solid or near-solid at room temperature but which becomes fluid at slightly elevated temperatures. The waxy developer material may be dissolved in a suitable carrier liquid, such as water or other inert volatile solvent, and is deposited on test parts by dipping, brushing or spraying, and allowing the carrier liquid to evaporate. The development process includes the step of applying heat to the test parts, during oven drying or by heating subsequent to air-drying, whereby the waxy developer layer becomes a fluid, and carries into solution any dyed penetrant entraptments present in the surface defects. When the test parts cool to room temperature, the fluid waxy layer, which now contains developed defect indications, solidifies and prevents excessive bleeding and migration of the indications.

CAS INDEXING IS AVAILABLE FOR THIS PATENT.

L1 ANSWER 122 OF 122 USPATFULL on STN
ACCESSION NUMBER: 71:31997 USPATFULL <<LOGINID::20110427>>
TITLE: DEVELOPERS FOR INSPECTION PENETRANTS EMPLOYING FUSIBLE
WAXES
INVENTOR(S): Alburger, James R., 5007 Hillard Ave., La Canada, CA,
United States 91011

| | NUMBER | KIND | DATE |
|---------------------|--|------|--------------|
| PATENT INFORMATION: | US 3607333 | | 19710921 |
| APPLICATION INFO.: | US 1969-799701 | | 19690217 (4) |
| DOCUMENT TYPE: | Utility | | |
| FILE SEGMENT: | Granted | | |
| PRIMARY EXAMINER: | Liebman, Morris | | |
| ASSISTANT EXAMINER: | Michl, P. R. | | |
| NUMBER OF CLAIMS: | 2 | | |
| NUMBER OF DRAWINGS: | 2 Drawing Figure(s); 1 Drawing Page(s) | | |
| LINE COUNT: | 628 | | |

CAS INDEXING IS AVAILABLE FOR THIS PATENT.

AB A high-sensitivity, high-resolving power inspection penetrant developer in which the active developing ingredient is a waxy substance which is a solid or near-solid at room temperature, but which becomes fluid at slightly elevated temperatures. The waxy developer material may be dissolved in a suitable carrier liquid such as water or other inert volatile solvent, and is deposited on test parts by dipping, brushing or spraying, and allowing the carrier liquid to evaporate. When heat is

applied to the test parts, during oven drying or by heating subsequent to air-drying, the waxy developer layer becomes a fluid, and a "liquid-film dilution-expansion" type development of penetrant entrapments in surface defects then takes place. When the test parts cool to room temperature, the fluid waxy layer, which now contains developed defect indications, solidifies and prevents excessive bleeding and migration of the indications.

CAS INDEXING IS AVAILABLE FOR THIS PATENT.

=> s (fluorescen? (3a) dye) (P) (masking (3a) background (5a) dye)
PROXIMITY OPERATOR LEVEL NOT CONSISTENT WITH
FIELD CODE - 'AND' OPERATOR ASSUMED 'DYE) (P) '
PROXIMITY OPERATOR LEVEL NOT CONSISTENT WITH
FIELD CODE - 'AND' OPERATOR ASSUMED 'DYE) (P) '
L3 6 (FLUORESCEN? (3A) DYE) (P) (MASKING (3A) BACKGROUND (5A) DYE)

=> d l3 1-6 ti

L3 ANSWER 1 OF 6 CAPLUS COPYRIGHT 2011 ACS on STN
TI Masking background fluorescence and luminescence in optical analysis of biomedical assays

L3 ANSWER 2 OF 6 USPATFULL on STN
TI MASKING BACKGROUND FLUORESCENCE AND LUMINESCENCE IN THE OPTICAL ANALYSIS OF BIOMEDICAL ASSAYS

L3 ANSWER 3 OF 6 USPATFULL on STN
TI Masking of the background fluorescence and luminescence in the optical analysis of biomedical assays

L3 ANSWER 4 OF 6 USPATFULL on STN
TI MASKING BACKGROUND FLUORESCENCE AND LUMINESCENCE IN OPTICAL ANALYSIS OF BIOMEDICAL ASSAYS

L3 ANSWER 5 OF 6 USPATFULL on STN
TI Masking background fluorescence and luminescence in optical analysis of biomedical assays

L3 ANSWER 6 OF 6 USPATFULL on STN
TI Masking of the background fluorescence and luminescence in the optical analysis of biomedical assays

=> s (fluorescen? (3a) dye) (P) (second (3a) dye) (P) (reduc? (3a) background)
PROXIMITY OPERATOR LEVEL NOT CONSISTENT WITH
FIELD CODE - 'AND' OPERATOR ASSUMED 'DYE) (P) '
PROXIMITY OPERATOR LEVEL NOT CONSISTENT WITH
FIELD CODE - 'AND' OPERATOR ASSUMED 'DYE) (P) '
PROXIMITY OPERATOR LEVEL NOT CONSISTENT WITH
FIELD CODE - 'AND' OPERATOR ASSUMED 'DYE) (P) '
PROXIMITY OPERATOR LEVEL NOT CONSISTENT WITH
FIELD CODE - 'AND' OPERATOR ASSUMED 'DYE) (P) '
L4 4 (FLUORESCEN? (3A) DYE) (P) (SECOND (3A) DYE) (P) (REDUC? (3A) BACKGROUND)

=> d l4 ti

L4 ANSWER 1 OF 4 USPATFULL on STN
TI Nucleic acid probes and methods to detect and/or quantify nucleic acid

analytes

=> d 14 1-4 ti

L4 ANSWER 1 OF 4 USPATFULL on STN
TI Nucleic acid probes and methods to detect and/or quantify nucleic acid analytes

L4 ANSWER 2 OF 4 USPATFULL on STN
TI Nucleic acid probes and methods to detect and/or quantify nucleic acid analytes

L4 ANSWER 3 OF 4 USPATFULL on STN
TI Fluorescence digital imaging microscopy system

L4 ANSWER 4 OF 4 USPATFULL on STN
TI Fluorescence digital imaging microscopy system

=> d 14 1-14 ibib abs

L4 ANSWER 1 OF 4 USPATFULL on STN
ACCESSION NUMBER: 2005:268044 USPATFULL <<LOGINID::20110427>>
TITLE: Nucleic acid probes and methods to detect and/or quantify nucleic acid analytes
INVENTOR(S): Davies, Martin, Kent, UNITED KINGDOM
Bruce, Ian, East Sussex, UNITED KINGDOM
Wolter, Andreas, Esmarchstrasse, GERMANY, FEDERAL REPUBLIC OF
PATENT ASSIGNEE(S): PROLIGO, LLC, Boulder, CO, UNITED STATES (non-U.S. corporation)

| | NUMBER | KIND | DATE |
|-----------------------|---|------|---------------|
| PATENT INFORMATION: | US 20050233360 | A1 | 20051020 |
| APPLICATION INFO.: | US 2005-83210 | A1 | 20050316 (11) |
| RELATED APPLN. INFO.: | Division of Ser. No. US 2002-278047, filed on 21 Oct 2002, GRANTED, Pat. No. US 6902900 | | |

| | NUMBER | DATE |
|-----------------------|---|---------------|
| PRIORITY INFORMATION: | US 2001-336432P | 20011019 (60) |
| DOCUMENT TYPE: | Utility | |
| FILE SEGMENT: | APPLICATION | |
| LEGAL REPRESENTATIVE: | SWANSON & BRATSCHUN L.L.C., 1745 SHEA CENTER DRIVE, SUITE 330, HIGHLANDS RANCH, CO, 80129, US | |
| NUMBER OF CLAIMS: | 20 | |
| EXEMPLARY CLAIM: | 1 | |
| NUMBER OF DRAWINGS: | 21 Drawing Page(s) | |
| LINE COUNT: | 3448 | |

CAS INDEXING IS AVAILABLE FOR THIS PATENT.

AB The invention comprises novel methods and strategies to detect and/or quantify nucleic acid analytes. The methods involve nucleic acid probes with covalently conjugated dyes, which are attached either at adjacent nucleotides or at the same nucleotide of the probe and novel linker molecules to attach the dyes to the probes. The nucleic acid probes generate a fluorescent signal upon hybridization to complementary nucleic acids based on the interaction of one of the attached dyes, which is either an intercalator or a DNA groove binder, with the formed double stranded DNA. The methods can be applied to a variety of

applications including homogeneous assays, real-time PCR monitoring, transcription assays, expression analysis on nucleic acid microarrays and other microarray applications such as genotyping (SNP analysis). The methods further include pH-sensitive nucleic acid probes that provide switchable fluorescence signals that are triggered by a change in the pH of the medium.

CAS INDEXING IS AVAILABLE FOR THIS PATENT.

L4 ANSWER 2 OF 4 USPATFULL on STN
ACCESSION NUMBER: 2003:207233 USPATFULL <<LOGINID::20110427>>
TITLE: Nucleic acid probes and methods to detect and/or quantify nucleic acid analytes
INVENTOR(S): Davies, Martin, Kent, UNITED KINGDOM
Bruce, Ian, East Sussex, UNITED KINGDOM
Wolter, Andreas, Hamburg, GERMANY, FEDERAL REPUBLIC OF
PATENT ASSIGNEE(S): PROLIGO, LLC, Boulder, CO, UNITED STATES, 80301
(non-U.S. corporation)

| | NUMBER | KIND | DATE |
|---------------------|----------------|------|---------------|
| PATENT INFORMATION: | US 20030143591 | A1 | 20030731 |
| | US 6902900 | B2 | 20050607 |
| APPLICATION INFO.: | US 2002-278047 | A1 | 20021021 (10) |

| | NUMBER | DATE |
|-----------------------|--|---------------|
| PRIORITY INFORMATION: | US 2001-336432P | 20011019 (60) |
| DOCUMENT TYPE: | Utility | |
| FILE SEGMENT: | APPLICATION | |
| LEGAL REPRESENTATIVE: | SWANSON & BRATSCHUN L.L.C., 1745 SHEA CENTER DRIVE,
SUITE 330, HIGHLANDS RANCH, CO, 80129 | |
| NUMBER OF CLAIMS: | 60 | |
| EXEMPLARY CLAIM: | 1 | |
| NUMBER OF DRAWINGS: | 21 Drawing Page(s) | |
| LINE COUNT: | 3575 | |

CAS INDEXING IS AVAILABLE FOR THIS PATENT.

AB The invention comprises novel methods and strategies to detect and/or quantify nucleic acid analytes. The methods involve nucleic acid probes with covalently conjugated dyes, which are attached either at adjacent nucleotides or at the same nucleotide of the probe and novel linker molecules to attach the dyes to the probes. The nucleic acid probes generate a fluorescent signal upon hybridization to complementary nucleic acids based on the interaction of one of the attached dyes, which is either an intercalator or a DNA groove binder, with the formed double stranded DNA. The methods can be applied to a variety of applications including homogeneous assays, real-time PCR monitoring, transcription assays, expression analysis on nucleic acid microarrays and other microarray applications such as genotyping (SNP analysis). The methods further include pH-sensitive nucleic acid probes that provide switchable fluorescence signals that are triggered by a change in the pH of the medium.

CAS INDEXING IS AVAILABLE FOR THIS PATENT.

L4 ANSWER 3 OF 4 USPATFULL on STN
ACCESSION NUMBER: 2002:336474 USPATFULL <<LOGINID::20110427>>
TITLE: Fluorescence digital imaging microscopy system
INVENTOR(S): Reynolds, C. Patrick, Sherman Oaks, CA, UNITED STATES
Frgala, Tomas, Brno, CZECH REPUBLIC
PATENT ASSIGNEE(S): CHILDRENS HOSPITAL LOS ANGELES (U.S. corporation)

| | NUMBER | KIND | DATE |
|-----------------------|---|------|---------------|
| PATENT INFORMATION: | US 20020191824 | A1 | 20021219 |
| APPLICATION INFO.: | US 6665430 | B2 | 20031216 |
| RELATED APPLN. INFO.: | US 2002-217721 | A1 | 20020813 (10) |
| | Division of Ser. No. US 1998-66134, filed on 24 Apr 1998, GRANTED, Pat. No. US 6459805 Continuation-in-part of Ser. No. US 1996-622110, filed on 26 Mar 1996, ABANDONED | | |
| DOCUMENT TYPE: | Utility | | |
| FILE SEGMENT: | APPLICATION | | |
| LEGAL REPRESENTATIVE: | HOGAN & HARTSON L.L.P., 500 S. GRAND AVENUE, SUITE 1900, LOS ANGELES, CA, 90071-2611 | | |
| NUMBER OF CLAIMS: | 14 | | |
| EXEMPLARY CLAIM: | 1 | | |
| NUMBER OF DRAWINGS: | 13 Drawing Page(s) | | |
| LINE COUNT: | 712 | | |
| AB | <p>A method of preparing cell samples for viable cell number quantification with a fluorescence digital imaging microscopy system employing digital thresholding technique. The cell sample is stained with a first, fluorescent dye and treated with a second dye that is able to quench the fluorescence of the first dye. The fluorescent dye accumulates in viable cells only and is used to stain the viable cells. The second dye is excluded from viable cells but enters non-viable cells, thereby quenching the background fluorescence in non-viable cells and the medium. Two examples of dye combinations are described: fluorescein diacetate used as the fluorescent dye with eosin Y as the quenching dye; and calcein-AM used as the fluorescent dye with trypan blue as the quenching dye. By reducing the background fluorescence, the dynamic range and accuracy of viable cell number measurements are enhanced. In low viability cultures treated with fluorescein diacetate, background fluorescence completely masked viable cells, but digital thresholding and eosin treatment dramatically reduced background fluorescence, producing a linear response over 4 logs of viable cell density.</p> | | |

L4 ANSWER 4 OF 4 USPATFULL on STN
 ACCESSION NUMBER: 2002:255074 USPATFULL <<LOGINID::20110427>>
 TITLE: Fluorescence digital imaging microscopy system
 INVENTOR(S): Reynolds, C. Patrick, Sherman Oaks, CA, United States
 Frgala, Tomas, Brno, CZECH REPUBLIC
 PATENT ASSIGNEE(S): Childrens Hospital Los Angeles, Los Angeles, CA, United States (U.S. corporation)

| | NUMBER | KIND | DATE |
|-----------------------|--|------|--------------|
| PATENT INFORMATION: | US 6459805 | B1 | 20021001 |
| APPLICATION INFO.: | US 1998-66134 | | 19980424 (9) |
| RELATED APPLN. INFO.: | Continuation-in-part of Ser. No. US 1996-622110, filed on 26 Mar 1996, now abandoned | | |
| DOCUMENT TYPE: | Utility | | |
| FILE SEGMENT: | GRANTED | | |
| PRIMARY EXAMINER: | Patel, Jayanti K. | | |
| LEGAL REPRESENTATIVE: | Hogan & Hartson, LLP | | |
| NUMBER OF CLAIMS: | 13 | | |
| EXEMPLARY CLAIM: | 1 | | |
| NUMBER OF DRAWINGS: | 19 Drawing Figure(s); 13 Drawing Page(s) | | |

LINE COUNT: 705

AB A method of preparing cell samples for viable cell number quantification with a fluorescence digital imaging microscopy system employing digital thresholding technique. The cell sample is stained with a first, fluorescent dye and treated with a second dye that is able to quench the fluorescence of the first dye. The fluorescent dye accumulates in viable cells only and is used to stain the viable cells. The second dye is excluded from viable cells but enters non-viable cells, thereby quenching the background fluorescence in non-viable cells and the medium. Two examples of dye combinations are described: fluorescein diacetate used as the fluorescent dye with eosin Y as the quenching dye; and calcein-AM used as the fluorescent dye with trypan blue as the quenching dye. By reducing the background fluorescence, the dynamic range and accuracy of viable cell number measurements are enhanced. In low viability cultures treated with fluorescein diacetate, background fluorescence completely masked viable cells, but digital thresholding and eosin treatment dramatically reduced background fluorescence, producing a linear response over 4 logs of viable cell density.

```
=> e reynolds c patrick/au
E1      1      REYNOLDS C PARTRIK/AU
E2      1      REYNOLDS C PATRIC/AU
E3    349 --> REYNOLDS C PATRICK/AU
E4      1      REYNOLDS C PATRIK/AU
E5    136      REYNOLDS C R/AU
E6    246      REYNOLDS C S/AU
E7      29     REYNOLDS C T/AU
E8      1      REYNOLDS C T 3RD/AU
E9      1      REYNOLDS C T JR/AU
E10     7      REYNOLDS C V/AU
E11   275      REYNOLDS C W/AU
E12     3      REYNOLDS CALVIN E/AU
```

```
=> s e3 and (dye)
L5          12 "REYNOLDS C PATRICK"/AU AND (DYE)
```

```
=> dup remm 15
ENTER REMOVE, IDENTIFY, ONLY, OR (?):dup rem 15
'DUP REM L41' IS NOT VALID HERE
Enter "REMOVE" to identify and remove duplicate answers.
Enter "IDENTIFY" to identify duplicate answers in the answer set.
Enter "ONLY" to identify and create an answer set containing only
duplicate records.
ENTER REMOVE, IDENTIFY, ONLY, OR (?):?
Enter "REMOVE" to identify and remove duplicate answers.
Enter "IDENTIFY" to identify duplicate answers in the answer set.
Enter "ONLY" to identify and create an answer set containing only
duplicate records.
ENTER REMOVE, IDENTIFY, ONLY, OR (?):end
```

```
=> dup rem 15
PROCESSING COMPLETED FOR L5
L6          7 DUP REM L5 (5 DUPLICATES REMOVED)
```

```
=> d 16 1-7 ibib ti
```

L6 ANSWER 1 OF 7 CAPLUS COPYRIGHT 2011 ACS on STN DUPLICATE 1
ACCESSION NUMBER: 2007:289476 CAPLUS <<LOGINID::20110427>>
DOCUMENT NUMBER: 146:394606
TITLE: A fluorescence microplate cytotoxicity assay with a 4-log dynamic range that identifies synergistic drug combinations
AUTHOR(S): Frgala, Tomas; Kalous, Ondrej; Proffitt, Robert T.; Reynolds, C. Patrick
CORPORATE SOURCE: Developmental Therapeutics Program, USC-CHLA Institute for Pediatric Clinical Research, Childrens Hospital of Los Angeles and Division Hematology-Oncology, Department of Pediatrics, The University of Southern California Keck School of Medicine, Los Angeles, CA, 90027, USA
SOURCE: Molecular Cancer Therapeutics (2007), 6(3), 886-897
CODEN: MCTOFC; ISSN: 1535-7163
PUBLISHER: American Association for Cancer Research
DOCUMENT TYPE: Journal
LANGUAGE: English
TI A fluorescence microplate cytotoxicity assay with a 4-log dynamic range that identifies synergistic drug combinations
OS.CITING REF COUNT: 7 THERE ARE 7 CAPLUS RECORDS THAT CITE THIS RECORD (7 CITINGS)
REFERENCE COUNT: 60 THERE ARE 60 CITED REFERENCES AVAILABLE FOR THIS RECORD. ALL CITATIONS AVAILABLE IN THE RE FORMAT

L6 ANSWER 2 OF 7 CAPLUS COPYRIGHT 2011 ACS on STN DUPLICATE 2
ACCESSION NUMBER: 2007:792406 CAPLUS <<LOGINID::20110427>>
DOCUMENT NUMBER: 147:132289
TITLE: Assessing combinations of cytotoxic agents using leukemia cell lines
AUTHOR(S): Reynolds, C. Patrick; Kang, Min H.; Keshelava, Nino; Maurer, Barry J.
CORPORATE SOURCE: Developmental Therapeutics Program, USC-CHLA Institute for Pediatric Clinical Research and Division of Hematology-Oncology, Department of Pediatrics, Keck School of Medicine, University of Southern California and Childrens Hospital Los Angeles, USA
SOURCE: Current Drug Targets (2007), 8(6), 765-771
CODEN: CDTUAU; ISSN: 1389-4501
PUBLISHER: Bentham Science Publishers Ltd.
DOCUMENT TYPE: Journal; General Review
LANGUAGE: English
TI Assessing combinations of cytotoxic agents using leukemia cell lines
OS.CITING REF COUNT: 2 THERE ARE 2 CAPLUS RECORDS THAT CITE THIS RECORD (2 CITINGS)
REFERENCE COUNT: 41 THERE ARE 41 CITED REFERENCES AVAILABLE FOR THIS RECORD. ALL CITATIONS AVAILABLE IN THE RE FORMAT

L6 ANSWER 3 OF 7 CAPLUS COPYRIGHT 2011 ACS on STN DUPLICATE 3
ACCESSION NUMBER: 2005:419086 CAPLUS <<LOGINID::20110427>>
DOCUMENT NUMBER: 144:120778
TITLE: DIMSCAN a microcomputer fluorescence-based cytotoxicity assay for preclinical testing of combination chemotherapy
AUTHOR(S): Keshelava, Nino; Frgala, Tomas; Krejsa, Jiri; Kalous, Ondrej; Reynolds, C. Patrick
CORPORATE SOURCE: USC-CHLA Institute for Pediatric Clinical Research, University of Southern California and Childrens Hospital Los Angeles, Los Angeles, CA, USA
SOURCE: Methods in Molecular Medicine (2005),

110 (Chemosensitivity, Volume 1), 139-153
CODEN: MMMEFN
PUBLISHER: Humana Press Inc.
DOCUMENT TYPE: Journal
LANGUAGE: English
TI DIMSCAN a microcomputer fluorescence-based cytotoxicity assay for preclinical testing of combination chemotherapy
OS.CITING REF COUNT: 10 THERE ARE 10 CAPLUS RECORDS THAT CITE THIS RECORD (10 CITINGS)
REFERENCE COUNT: 37 THERE ARE 37 CITED REFERENCES AVAILABLE FOR THIS RECORD. ALL CITATIONS AVAILABLE IN THE RE FORMAT

L6 ANSWER 4 OF 7 USPATFULL on STN
ACCESSION NUMBER: 2002:336474 USPATFULL <<LOGINID::20110427>>
TITLE: Fluorescence digital imaging microscopy system
INVENTOR(S): Reynolds, C. Patrick, Sherman Oaks, CA,
UNITED STATES
PATENT ASSIGNEE(S): Frgala, Tomas, Brno, CZECH REPUBLIC
CHILDRENS HOSPITAL LOS ANGELES (U.S. corporation)

| | NUMBER | KIND | DATE |
|-----------------------|---|------|---------------|
| PATENT INFORMATION: | US 20020191824 | A1 | 20021219 |
| | US 6665430 | B2 | 20031216 |
| APPLICATION INFO.: | US 2002-217721 | A1 | 20020813 (10) |
| RELATED APPLN. INFO.: | Division of Ser. No. US 1998-66134, filed on 24 Apr 1998, GRANTED, Pat. No. US 6459805 Continuation-in-part of Ser. No. US 1996-622110, filed on 26 Mar 1996, ABANDONED | | |
| DOCUMENT TYPE: | Utility | | |
| FILE SEGMENT: | APPLICATION | | |
| LEGAL REPRESENTATIVE: | HOGAN & HARTSON L.L.P., 500 S. GRAND AVENUE, SUITE 1900, LOS ANGELES, CA, 90071-2611 | | |
| NUMBER OF CLAIMS: | 14 | | |
| EXEMPLARY CLAIM: | 1 | | |
| NUMBER OF DRAWINGS: | 13 Drawing Page(s) | | |
| LINE COUNT: | 712 | | |
| TI | Fluorescence digital imaging microscopy system | | |

L6 ANSWER 5 OF 7 USPATFULL on STN
ACCESSION NUMBER: 2002:255074 USPATFULL <<LOGINID::20110427>>
TITLE: Fluorescence digital imaging microscopy system
INVENTOR(S): Reynolds, C. Patrick, Sherman Oaks, CA,
United States
PATENT ASSIGNEE(S): Frgala, Tomas, Brno, CZECH REPUBLIC
Childrens Hospital Los Angeles, Los Angeles, CA, United States (U.S. corporation)

| | NUMBER | KIND | DATE |
|-----------------------|--|------|--------------|
| PATENT INFORMATION: | US 6459805 | B1 | 20021001 |
| APPLICATION INFO.: | US 1998-66134 | | 19980424 (9) |
| RELATED APPLN. INFO.: | Continuation-in-part of Ser. No. US 1996-622110, filed on 26 Mar 1996, now abandoned | | |
| DOCUMENT TYPE: | Utility | | |
| FILE SEGMENT: | GRANTED | | |
| PRIMARY EXAMINER: | Patel, Jayanti K. | | |
| LEGAL REPRESENTATIVE: | Hogan & Hartson, LLP | | |
| NUMBER OF CLAIMS: | 13 | | |
| EXEMPLARY CLAIM: | 1 | | |
| NUMBER OF DRAWINGS: | 19 Drawing Figure(s); 13 Drawing Page(s) | | |

LINE COUNT: 705

TI Fluorescence digital imaging microscopy system

L6 ANSWER 6 OF 7 USPATFULL on STN

ACCESSION NUMBER: 2002:75229 USPATFULL <<LOGINID::20110427>>

TITLE: Treatment of hyperproliferative disorders

INVENTOR(S): Maurer, Barry J., Sunland, CA, United States

Reynolds, C. Patrick, Sherman Oaks, CA,

United States

PATENT ASSIGNEE(S): Childrens Hospital Los Angeles, Los Angeles, CA, United States (U.S. corporation)

| NUMBER | KIND | DATE |
|--------|------|------|
|--------|------|------|

| | | |
|------------|----|----------|
| US 6368831 | B1 | 20020409 |
|------------|----|----------|

| | | |
|----------------|--|--------------|
| US 1999-471944 | | 19991223 (9) |
|----------------|--|--------------|

RELATED APPLN. INFO.: Continuation-in-part of Ser. No. US 1999-342019, filed on 28 Jun 1999

| NUMBER | DATE |
|--------|------|
|--------|------|

| | |
|----------------|---------------|
| US 1998-91138P | 19980629 (60) |
|----------------|---------------|

DOCUMENT TYPE: Utility

FILE SEGMENT: GRANTED

PRIMARY EXAMINER: Low, Christopher S. F.

ASSISTANT EXAMINER: Robinson, Hope A.

LEGAL REPRESENTATIVE: Myers Bigel Sibley & Sajovec

NUMBER OF CLAIMS: 30

EXEMPLARY CLAIM: 1

NUMBER OF DRAWINGS: 21 Drawing Figure(s); 16 Drawing Page(s)

LINE COUNT: 1466

CAS INDEXING IS AVAILABLE FOR THIS PATENT.

TI Treatment of hyperproliferative disorders

L6 ANSWER 7 OF 7 USPATFULL on STN

ACCESSION NUMBER: 2002:45484 USPATFULL <<LOGINID::20110427>>

TITLE: Treatment of hyperproliferative disorders

INVENTOR(S): Maurer, Barry J., Pasadena, CA, United States

Cabot, Myles, Santa Monica, CA, United States

Reynolds, C. Patrick, Sherman Oaks, CA,

United States

PATENT ASSIGNEE(S): Childrens Hospital Los Angeles, Los Angeles, CA, United States (U.S. corporation)

John Wayne Cancer Institute, Santa Monica, CA, United States (U.S. corporation)

| NUMBER | KIND | DATE |
|--------|------|------|
|--------|------|------|

| | | |
|------------|----|----------|
| US 6352844 | B1 | 20020305 |
|------------|----|----------|

| | | |
|----------------|--|--------------|
| US 1999-342019 | | 19990628 (9) |
|----------------|--|--------------|

| NUMBER | DATE |
|--------|------|
|--------|------|

| | |
|----------------|---------------|
| US 1998-91138P | 19980629 (60) |
|----------------|---------------|

DOCUMENT TYPE: Utility

FILE SEGMENT: GRANTED

PRIMARY EXAMINER: Carlson, Karen Cochrane

ASSISTANT EXAMINER: Robinson, Hope A.

LEGAL REPRESENTATIVE: Myers Bigel Sibley & Sajovec, P.A.

NUMBER OF CLAIMS: 19

EXEMPLARY CLAIM: 1

NUMBER OF DRAWINGS: 21 Drawing Figure(s); 15 Drawing Page(s)
LINE COUNT: 1311
CAS INDEXING IS AVAILABLE FOR THIS PATENT.
TI Treatment of hyperproliferative disorders

=> e frgala tomas/au
E1 13 FRGALA JIRI/AU
E2 21 FRGALA T/AU
E3 23 --> FRGALA TOMAS/AU
E4 15 FRGALA Z/AU
E5 1 FRGALA ZDENEK/AU
E6 18 FRGALOVA K/AU
E7 12 FRGALOVA KARLA/AU
E8 2 FRGEMAN NILS J/AU
E9 1 FRGEMAN O/AU
E10 3 FRGEMAND MERETE/AU
E11 1 FRGESTAD ELLEN M/AU
E12 1 FRGESTAD ELLEN MOSLETH/AU

=> s e3 and dye
L7 7 "FRGALA TOMAS"/AU AND DYE

=> dup rem l7
PROCESSING COMPLETED FOR L7
L8 4 DUP REM L7 (3 DUPLICATES REMOVED)

=> d 18 1-4

L8 ANSWER 1 OF 4 CAPLUS COPYRIGHT 2011 ACS on STN DUPLICATE 1
AN 2007:289476 CAPLUS <<LOGINID::20110427>>
DN 146:394606
TI A fluorescence microplate cytotoxicity assay with a 4-log dynamic range
that identifies synergistic drug combinations
AU Frgala, Tomas; Kalous, Ondrej; Proffitt, Robert T.; Reynolds, C.
Patrick
CS Developmental Therapeutics Program, USC-CHLA Institute for Pediatric
Clinical Research, Childrens Hospital of Los Angeles and Division
Hematology-Oncology, Department of Pediatrics, The University of Southern
California Keck School of Medicine, Los Angeles, CA, 90027, USA
SO Molecular Cancer Therapeutics (2007), 6(3), 886-897
CODEN: MCTOCF; ISSN: 1535-7163
PB American Association for Cancer Research
DT Journal
LA English
OSC.G 7 THERE ARE 7 CAPLUS RECORDS THAT CITE THIS RECORD (7 CITINGS)
RE.CNT 60 THERE ARE 60 CITED REFERENCES AVAILABLE FOR THIS RECORD
ALL CITATIONS AVAILABLE IN THE RE FORMAT

L8 ANSWER 2 OF 4 CAPLUS COPYRIGHT 2011 ACS on STN DUPLICATE 2
AN 2005:419086 CAPLUS <<LOGINID::20110427>>
DN 144:120778
TI DIMSCAN a microcomputer fluorescence-based cytotoxicity assay for
preclinical testing of combination chemotherapy
AU Keshelava, Nino; Frgala, Tomas; Krejsa, Jiri; Kalous, Ondrej;
Reynolds, C. Patrick
CS USC-CHLA Institute for Pediatric Clinical Research, University of Southern
California and Childrens Hospital Los Angeles, Los Angeles, CA, USA
SO Methods in Molecular Medicine (2005), 110(Chemosensitivity, Volume 1),
139-153
CODEN: MMMEFN

PB Humana Press Inc.
DT Journal
LA English
OSC.G 10 THERE ARE 10 CAPLUS RECORDS THAT CITE THIS RECORD (10 CITINGS)
RE.CNT 37 THERE ARE 37 CITED REFERENCES AVAILABLE FOR THIS RECORD
ALL CITATIONS AVAILABLE IN THE RE FORMAT

L8 ANSWER 3 OF 4 USPATFULL on STN
AN 2002:336474 USPATFULL <>LOGINID::20110427>>
TI Fluorescence digital imaging microscopy system
IN Reynolds, C. Patrick, Sherman Oaks, CA, UNITED STATES
Frgala, Tomas, Brno, CZECH REPUBLIC
PA CHILDRENS HOSPITAL LOS ANGELES (U.S. corporation)
PI US 20020191824 A1 20021219
US 6665430 B2 20031216
AI US 2002-217721 A1 20020813 (10)
RLI Division of Ser. No. US 1998-66134, filed on 24 Apr 1998, GRANTED, Pat.
No. US 6459805 Continuation-in-part of Ser. No. US 1996-622110, filed on
26 Mar 1996, ABANDONED
DT Utility
FS APPLICATION
LN.CNT 712
INCL INCLM: 382/128.000
NCL NCLM: 382/128.000
NCLS: 435/006.000; 435/029.000; 435/040.500
IPC [7]
IPCI G06K0009-00 [ICM,7]
IPCI-2 G06K0009-00 [ICM,7]
IPCR G01N0021-64 [I,C*]; G01N0021-64 [I,A]

L8 ANSWER 4 OF 4 USPATFULL on STN
AN 2002:255074 USPATFULL <>LOGINID::20110427>>
TI Fluorescence digital imaging microscopy system
IN Reynolds, C. Patrick, Sherman Oaks, CA, United States
Frgala, Tomas, Brno, CZECH REPUBLIC
PA Childrens Hospital Los Angeles, Los Angeles, CA, United States (U.S.
corporation)
PI US 6459805 B1 20021001
AI US 1998-66134 19980424 (9)
RLI Continuation-in-part of Ser. No. US 1996-622110, filed on 26 Mar 1996,
now abandoned
DT Utility
FS GRANTED
LN.CNT 705
INCL INCLM: 382/128.000
INCLS: 435/029.000; 435/040.500; 436/172.000
NCL NCLM: 382/128.000
NCLS: 435/029.000; 435/040.500; 436/172.000
IPC [7]
IPCI G06K0009-00 [ICM,7]
IPCR G01N0021-64 [I,C*]; G01N0021-64 [I,A]
EXF 382/100; 382/128; 382/129-134; 382/312; 435/6; 435/29; 435/34; 435/40.5;
435/325; 435/968; 435/177; 430/138-139; 436/172-173; 356/39-42; 514/440;
514/629; 514/634; 549/33

=> s (fluorescent (3a) dye) (p) (brilliant (3a) black)
PROXIMITY OPERATOR LEVEL NOT CONSISTENT WITH
FIELD CODE - 'AND' OPERATOR ASSUMED 'DYE) (P) '
PROXIMITY OPERATOR LEVEL NOT CONSISTENT WITH
FIELD CODE - 'AND' OPERATOR ASSUMED 'DYE) (P) '

L9 29 (FLUORESCENT (3A) DYE) (P) (BRILLIANT (3A) BLACK)

=> dup rem 19

PROCESSING COMPLETED FOR L9

L10 29 DUP REM L9 (0 DUPLICATES REMOVED)

=> d 110 1-29 ti

L10 ANSWER 1 OF 29 USPATFULL on STN

TI METHOD FOR MEASURING MITOCHONDRIAL MEMBRANE POTENTIAL IN VERTEBRATE CELLS

L10 ANSWER 2 OF 29 USPATFULL on STN

TI POLYMERIZED CONJUGATES FOR BIOLOGICAL APPLICATIONS

L10 ANSWER 3 OF 29 USPATFULL on STN

TI MASKING BACKGROUND FLUORESCENCE AND LUMINESCENCE IN THE OPTICAL ANALYSIS OF BIOMEDICAL ASSAYS

L10 ANSWER 4 OF 29 USPATFULL on STN

TI INFRARED TRANSMISSIVE THERMOPLASTIC COMPOSITION, AND ARTICLES FORMED THEREFROM

L10 ANSWER 5 OF 29 USPATFULL on STN

TI Methods for Production of Proteins

L10 ANSWER 6 OF 29 USPATFULL on STN

TI Methods for Production of Proteins

L10 ANSWER 7 OF 29 USPATFULL on STN

TI Methods for production of proteins

L10 ANSWER 8 OF 29 USPATFULL on STN

TI Methods of production of proteins

L10 ANSWER 9 OF 29 USPATFULL on STN

TI Water-soluble conjugates for electrochemical detection

L10 ANSWER 10 OF 29 USPATFULL on STN

TI Water-soluble conjugates for electrochemical detection

L10 ANSWER 11 OF 29 USPATFULL on STN

TI Water-soluble conjugates and methods of preparation

L10 ANSWER 12 OF 29 USPATFULL on STN

TI Use of indole-3-acetic acids in the treatment of asthma, copd and other diseases

L10 ANSWER 13 OF 29 USPATFULL on STN

TI Use of indole-3-acetic acids in the treatment of asthma, copd and other diseases

L10 ANSWER 14 OF 29 USPATFULL on STN

TI Coating compositions and processes

L10 ANSWER 15 OF 29 USPATFULL on STN

TI Methods for production of proteins

L10 ANSWER 16 OF 29 USPATFULL on STN

TI Lipoprotein fingerprinting methods using metal ion chelate salts

L10 ANSWER 17 OF 29 USPATFULL on STN
TI Masking of the background fluorescence and luminescence in the optical analysis of biomedical assays

L10 ANSWER 18 OF 29 USPATFULL on STN
TI Lipoprotein fingerprinting method

L10 ANSWER 19 OF 29 USPATFULL on STN
TI Method for preparing water-soluble cross-linked conjugates

L10 ANSWER 20 OF 29 USPATFULL on STN
TI METHODS FOR PRODUCTION OF PROTEIN

L10 ANSWER 21 OF 29 USPATFULL on STN
TI MASKING BACKGROUND FLUORESCENCE AND LUMINESCENCE IN OPTICAL ANALYSIS OF BIOMEDICAL ASSAYS

L10 ANSWER 22 OF 29 USPATFULL on STN
TI Masking background fluorescence and luminescence in optical analysis of biomedical assays

L10 ANSWER 23 OF 29 USPATFULL on STN
TI Masking of the background fluorescence and luminescence in the optical analysis of biomedical assays

L10 ANSWER 24 OF 29 USPATFULL on STN
TI Waterfast ink jet inks containing an emulsifiable polymer resin

L10 ANSWER 25 OF 29 USPATFULL on STN
TI Process for making multilayer coatings with a strippable topcoat

L10 ANSWER 26 OF 29 CAPLUS COPYRIGHT 2011 ACS on STN
TI Complexities of measuring antagonist potency at P2X₇ receptor orthologs

L10 ANSWER 27 OF 29 USPATFULL on STN
TI Colored particulates for ink jet inks

L10 ANSWER 28 OF 29 CAPLUS COPYRIGHT 2011 ACS on STN
TI Non-toxic, water-soluble photocalorimetric reference compounds for UV and visible excitation

L10 ANSWER 29 OF 29 CAPLUS COPYRIGHT 2011 ACS on STN
TI Printing of knit fabrics

=> s (brilliant (3a) black) same (mask?)
MISSING OPERATOR BLACK) SAME
The search profile that was entered contains terms or nested terms that are not separated by a logical operator.

=> s (brilliant (3a) black) (p) (mask?)
PROXIMITY OPERATOR LEVEL NOT CONSISTENT WITH
FIELD CODE - 'AND' OPERATOR ASSUMED 'BLACK) (P) '
PROXIMITY OPERATOR LEVEL NOT CONSISTENT WITH
FIELD CODE - 'AND' OPERATOR ASSUMED 'BLACK) (P) '
L11 13 (BRILLIANT (3A) BLACK) (P) (MASK?)

=> dup rem l11
PROCESSING COMPLETED FOR L11
L12 13 DUP REM L11 (0 DUPLICATES REMOVED)

=> d 112 1-13 ibib abs

L12 ANSWER 1 OF 13 USPATFULL on STN
ACCESSION NUMBER: 2008:361999 USPATFULL <<LOGINID::20110427>>
TITLE: MASKING BACKGROUND FLUORESCENCE AND LUMINESCENCE IN THE
OPTICAL ANALYSIS OF BIOMEDICAL ASSAYS
INVENTOR(S): Krahn, Thomas, Hagen, GERMANY, FEDERAL REPUBLIC OF
Paffhausen, Wolfgang, Leverkusen, GERMANY, FEDERAL
REPUBLIC OF
Schade, Andreas, Essen, GERMANY, FEDERAL REPUBLIC OF
Bechem, Martin, Wuppertal, GERMANY, FEDERAL REPUBLIC OF
Schmidt, Delf, Wuppertal, GERMANY, FEDERAL REPUBLIC OF
PATENT ASSIGNEE(S): BAYER HEALTHCARE AG, Leverkusen, GERMANY, FEDERAL
REPUBLIC OF (non-U.S. corporation)

| | NUMBER | KIND | DATE |
|-----------------------|--|------|---------------|
| PATENT INFORMATION: | US 20080318270 | A1 | 20081225 |
| | US 7615376 | B2 | 20091110 |
| APPLICATION INFO.: | US 2008-199317 | A1 | 20080827 (12) |
| RELATED APPLN. INFO.: | Division of Ser. No. US 2001-966522, filed on 28 Sep 2001, PENDING Continuation of Ser. No. US 1998-194099, filed on 20 Nov 1998, Pat. No. US 6420183 A 371 of International Ser. No. WO 1997-EP2662, filed on 23 May 1997 | | |

| | NUMBER | DATE |
|-----------------------|--|----------|
| PRIORITY INFORMATION: | DE 1996-19621312 | 19960528 |
| DOCUMENT TYPE: | Utility | |
| FILE SEGMENT: | APPLICATION | |
| LEGAL REPRESENTATIVE: | NORRIS, McLAUGHLIN & MARCUS, PA, 875 THIRD AVENUE, 18TH FLOOR, NEW YORK, NY, 10022, US | |
| NUMBER OF CLAIMS: | 4 | |
| EXEMPLARY CLAIM: | 1-6 | |
| NUMBER OF DRAWINGS: | 10 Drawing Page(s) | |
| LINE COUNT: | 445 | |

CAS INDEXING IS AVAILABLE FOR THIS PATENT.

AB In a process for the quantitative optical analysis of fluorescently labelled biological cells 5, a cell layer on a transparent support at the bottom 2 of a reaction vessel 1 is in contact with a solution 3 containing the fluorescent dye 4. The sensitivity of analytical detection can be considerably improved if to the fluorescent dye 4 already present in addition a masking dye 9, which absorbs the excitation light 6 for the fluorescent dye 4 and/or its emission light 7, is added to the solution 3 and/or if a separating layer 10 permeable to the solution and absorbing and/or reflecting the excitation light 6 or the emission light 7 is applied to the cell layer at the bottom 2. This process can also be used for improving the sensitivity in the quantitative optical analysis of a luminescent biological cell layer. The separating layer 10 must in this case be composed such that it has a high power of reflection for the luminescent light 11. Analogously, these process principles can also be used in receptor studies for the masking of the interfering background radiation in the quantitative optical analysis of fluorescently or luminescently labelled reaction components. In this case, a receptor layer 12 at the bottom 2 of a reaction vessel 1 is in contact with a solution (supernatant 3) in which a fluorescent or luminescent ligand 13 is dissolved. The sensitivity and accuracy of the analytical detection can be considerably improved here if a masking dye 9 which absorbs the excitation light 6 for the fluorescent dye and/or its emission light or (in the case of luminescent

ligands) the luminescent light is added to the supernatant 3. Instead of the masking dye in the solution 3 or optionally as an additional measure, a separating layer 10 permeable to the solution 3 and absorbing and/or reflecting the excitation light 6 and/or the emission light or the luminescent light can be applied to the cell or receptor layer 12 at the bottom 2.

CAS INDEXING IS AVAILABLE FOR THIS PATENT.

L12 ANSWER 2 OF 13 USPATFULL on STN
ACCESSION NUMBER: 2005:158295 USPATFULL <<LOGINID::20110427>>
TITLE: Fluorescent pH indicators for intracellular assays
INVENTOR(S): Diwu, Zhenjun, Sunnyvale, CA, UNITED STATES
Twu, Jesse J., Cupertino, CA, UNITED STATES
Yi, Guoliang, Sunnyvale, CA, UNITED STATES
Lavis, Luke D., Sunnyvale, CA, UNITED STATES
Chen, Yen-Wen, San Francisco, CA, UNITED STATES
Cassutt, Kelly J., Somerset, NJ, UNITED STATES

| | NUMBER | KIND | DATE |
|-----------------------|---|------|---------------|
| PATENT INFORMATION: | US 20050136503 | A1 | 20050623 |
| | US 7507395 | B2 | 20090324 |
| APPLICATION INFO.: | US 2004-958670 | A1 | 20041004 (10) |
| RELATED APPLN. INFO.: | Continuation of Ser. No. US 2002-108656, filed on 27 Mar 2002, GRANTED, Pat. No. US 6800765 | | |

| | NUMBER | DATE |
|-----------------------|---|---------------|
| PRIORITY INFORMATION: | US 2001-309800P | 20010802 (60) |
| DOCUMENT TYPE: | Utility | |
| FILE SEGMENT: | APPLICATION | |
| LEGAL REPRESENTATIVE: | KOLISCH HARTWELL, P.C., 520 S.W. YAMHILL STREET, SUITE 200, PORTLAND, OR, 97204, US | |
| NUMBER OF CLAIMS: | 23 | |
| EXEMPLARY CLAIM: | 1 | |
| NUMBER OF DRAWINGS: | 6 Drawing Page(s) | |
| LINE COUNT: | 1160 | |

CAS INDEXING IS AVAILABLE FOR THIS PATENT.

AB Systems, including compositions and methods, for measuring pH, particularly in cells, organelles, and other samples. The compositions include pH-sensitive fluorescent and fluorogenic 2',7'-dialkylfluorescein derivatives and associated nonfluorescent precursor compounds. The compositions may permit ratiometric measurement in the excitation spectrum and the emission spectrum. The methods include adding a precursor compound to a sample cell, incubating the sample cell to release the free indicator, illuminating the sample cell, and detecting the fluorescence response of the free indicator.

CAS INDEXING IS AVAILABLE FOR THIS PATENT.

L12 ANSWER 3 OF 13 USPATFULL on STN
ACCESSION NUMBER: 2003:133996 USPATFULL <<LOGINID::20110427>>
TITLE: Masking of the background fluorescence and luminescence in the optical analysis of biomedical assays
INVENTOR(S): Krahn, Thomas, Hagen, GERMANY, FEDERAL REPUBLIC OF Paffhausen, Wolfgang, Leverkusen, GERMANY, FEDERAL REPUBLIC OF Schade, Andreas, Essen, GERMANY, FEDERAL REPUBLIC OF Bechem, Martin, Wuppertal, GERMANY, FEDERAL REPUBLIC OF Schmidt, Delf, Wuppertal, GERMANY, FEDERAL REPUBLIC OF

| | NUMBER | KIND | DATE |
|-----------------------|--|------|---------------|
| PATENT INFORMATION: | US 20030092081 | A1 | 20030515 |
| | US 7138280 | B2 | 20061121 |
| APPLICATION INFO.: | US 2002-263607 | A1 | 20021003 (10) |
| RELATED APPLN. INFO.: | Division of Ser. No. US 2001-966522, filed on 28 Sep 2001, PENDING | | |

| | NUMBER | DATE |
|-----------------------|--|----------|
| PRIORITY INFORMATION: | DE 1996-19621312 | 19960528 |
| DOCUMENT TYPE: | Utility | |
| FILE SEGMENT: | APPLICATION | |
| LEGAL REPRESENTATIVE: | KURT BRISCOE, NORRIS, MCLAUGHLIN & MARCUS, P.A., 220 EAST 42ND STREET, 30TH FLOOR, NEW YORK, NY, 10017 | |
| NUMBER OF CLAIMS: | 3 | |
| EXEMPLARY CLAIM: | 1 | |
| NUMBER OF DRAWINGS: | 10 Drawing Page(s) | |
| LINE COUNT: | 438 | |

CAS INDEXING IS AVAILABLE FOR THIS PATENT.

AB In a process for the quantitative optical analysis of fluorescently labelled biological cells 5, a cell layer on a transparent support at the bottom 2 of a reaction vessel 1 is in contact with a solution 3 containing the fluorescent dye 4. The sensitivity of analytical detection can be considerably improved if to the fluorescent dye 4 already present in addition a masking dye 9, which absorbs the excitation light 6 for the fluorescent dye 4 and/or its emission light 7, is added to the solution 3 and/or if a separating layer 10 permeable to the solution and absorbing and/or reflecting the excitation light 6 or the emission light 7 is applied to the cell layer at the bottom 2. This process can also be used for improving the sensitivity in the quantitative optical analysis of a luminescent biological cell layer. The separating layer 10 must in this case be composed such that it has a high power of reflection for the luminescent light 11. Analogously, these process principles can also be used in receptor studies for the masking of the interfering background radiation in the quantitative optical analysis of fluorescently or luminescently labelled reaction components. In this case, a receptor layer 12 at the bottom 2 of a reaction vessel 1 is in contact with a solution (supernatant 3) in which a fluorescent or luminescent ligand 13 is dissolved. The sensitivity and accuracy of the analytical detection can be considerably improved here if a masking dye 9 which absorbs the excitation light 6 for the fluorescent dye and/or its emission light or (in the case of luminescent ligands) the luminescent light is added to the supernatant 3. Instead of the masking dye in the solution 3 or optionally as an additional measure, a separating layer 10 permeable to the solution 3 and absorbing and/or reflecting the excitation light 6 and/or the emission light or the luminescent light can be applied to the cell or receptor layer 12 at the bottom 2.

CAS INDEXING IS AVAILABLE FOR THIS PATENT.

| | |
|--------------------|---|
| L12 ANSWER 4 OF 13 | USPATFULL on STN |
| ACCESSION NUMBER: | 2003:99563 USPATFULL <<LOGINID::20110427>> |
| TITLE: | Fluorescent pH indicators for intracellular assays |
| INVENTOR(S): | Diwu, Zhenjun, Sunnyvale, CA, UNITED STATES
Twu, Jesse J., Cupertino, CA, UNITED STATES
Yi, Guoliang, Sunnyvale, CA, UNITED STATES
Lavis, Luke D., Sunnyvale, CA, UNITED STATES
Chen, Yen-Wen, San Francisco, CA, UNITED STATES |

Cassutt, Kelly J., Somerset, NJ, UNITED STATES

| | NUMBER | KIND | DATE |
|--|---|------|---------------|
| PATENT INFORMATION: | US 20030068668 | A1 | 20030410 |
| | US 6800765 | B2 | 20041005 |
| APPLICATION INFO.: | US 2002-108656 | A1 | 20020327 (10) |
| | NUMBER | DATE | |
| PRIORITY INFORMATION: | US 2001-309800P | | 20010802 (60) |
| DOCUMENT TYPE: | Utility | | |
| FILE SEGMENT: | APPLICATION | | |
| LEGAL REPRESENTATIVE: | James R. Abney, Kolisch, Hartwell, Dickinson, McCormack & Heuser, 200 Pacific Building, 520 S.W. Yamhill Street, Portland, OR, 97204 | | |
| NUMBER OF CLAIMS: | 57 | | |
| EXEMPLARY CLAIM: | 1 | | |
| NUMBER OF DRAWINGS: | 6 Drawing Page(s) | | |
| LINE COUNT: | 1298 | | |
| CAS INDEXING IS AVAILABLE FOR THIS PATENT. | | | |
| AB | Systems, including compositions and methods, for measuring pH, particularly in cells, organelles, and other samples. The compositions include pH-sensitive fluorescent and fluorogenic 2',7'-dialkylfluorescein derivatives and associated nonfluorescent precursor compounds. The compositions may permit ratiometric measurement in the excitation spectrum and the emission spectrum. The methods include adding a precursor compound to a sample cell, incubating the sample cell to release the free indicator, illuminating the sample cell, and detecting the fluorescence response of the free indicator. | | |

CAS INDEXING IS AVAILABLE FOR THIS PATENT.

L12 ANSWER 5 OF 13 USPATFULL on STN
ACCESSION NUMBER: 2002:37557 USPATFULL <>LOGINID::20110427>>
TITLE: MASKING BACKGROUND FLUORESCENCE AND LUMINESCENCE IN OPTICAL ANALYSIS OF BIOMEDICAL ASSAYS
INVENTOR(S): KRAHN, THOMAS, HAGEN, GERMANY, FEDERAL REPUBLIC OF PAFFHAUSEN, WOLFGANG, LEVERKUSEN, GERMANY, FEDERAL REPUBLIC OF SCHADE, ANDREAS, ESSEN, GERMANY, FEDERAL REPUBLIC OF BECHEM, MARTIN, WUPPERTAL, GERMANY, FEDERAL REPUBLIC OF SCHMIDT, DELF, WUPPERTAL, GERMANY, FEDERAL REPUBLIC OF

| | NUMBER | KIND | DATE |
|-----------------------|--|------|--------------|
| PATENT INFORMATION: | US 20020022274 | A1 | 20020221 |
| | US 6420183 | B2 | 20020716 |
| APPLICATION INFO.: | US 1998-194099 | A1 | 19981120 (9) |
| | WO 1997-EP2662 | | 19970523 |
| | NUMBER | DATE | |
| PRIORITY INFORMATION: | DE 1996-19621312 | | 19960528 |
| DOCUMENT TYPE: | Utility | | |
| FILE SEGMENT: | APPLICATION | | |
| LEGAL REPRESENTATIVE: | NORRIS McLAUGHLIN & MARCUS, P.A., 220 EAST 42nd STREET 30TH FLOOR, NEW YORK, NY, 10017 | | |
| NUMBER OF CLAIMS: | 6 | | |
| EXEMPLARY CLAIM: | 1 | | |
| NUMBER OF DRAWINGS: | 10 Drawing Page(s) | | |

LINE COUNT: 462

CAS INDEXING IS AVAILABLE FOR THIS PATENT.

AB In a process for the quantitative optical analysis of fluorescently labelled biological cells 5, a cell layer on a transparent support at the bottom 2 of a reaction vessel 1 is in contact with a solution 3 containing the fluorescent dye 4. The sensitivity of analytical detection can be considerably improved if to the fluorescent dye 4 already present in addition a masking dye 9, which absorbs the excitation light 6 for the fluorescent dye 4 and/or its emission light 7, is added to the solution 3 and/or if a separating layer 10 permeable to the solution and absorbing and/or reflecting the excitation light 6 or the emission light 7 is applied to the cell layer at the bottom 2. This process can also be used for improving the sensitivity in the quantitative optical analysis of a luminescent biological cell layer. The separating layer 10 must in this case be composed such that it has a high power of reflection for the luminescent light 11. Analogously, these process principles can also be used in receptor studies for the masking of the interfering background radiation in the quantitative optical analysis of fluorescently or luminescently labelled reaction components. In this case, a receptor layer 12 at the bottom 2 of a reaction vessel 1 is in contact with a solution (supernatant 3) in which a fluorescent or luminescent ligand 13 is dissolved. The sensitivity and accuracy of the analytical detection can be considerably improved here if a masking dye 9 which absorbs the excitation light 6 for the fluorescent dye and/or its emission light or (in the case of luminescent ligands) the luminescent light is added to the supernatant 3. Instead of the masking dye in the solution 3 or optionally as an additional measure, a separating layer 10 permeable to the solution 3 and absorbing and/or reflecting the excitation light 6 and/or the emission light or the luminescent light can be applied to the cell or receptor layer 12 at the bottom 2.

CAS INDEXING IS AVAILABLE FOR THIS PATENT.

L12 ANSWER 6 OF 13 USPATFULL on STN

ACCESSION NUMBER: 2002:27123 USPATFULL <<LOGINID::20110427>>

TITLE: Masking background fluorescence and luminescence in optical analysis of biomedical assays

INVENTOR(S): Krahn, Thomas, Hagen, GERMANY, FEDERAL REPUBLIC OF Paffhausen, Wolfgang, Leverkusen, GERMANY, FEDERAL REPUBLIC OF Schade, Andreas, Essen, GERMANY, FEDERAL REPUBLIC OF Bechem, Martin, Wuppertal, GERMANY, FEDERAL REPUBLIC OF Schmidt, Delft, Wuppertal, GERMANY, FEDERAL REPUBLIC OF

| | NUMBER | KIND | DATE |
|-----------------------|--|------|--------------|
| PATENT INFORMATION: | US 20020015969 | A1 | 20020207 |
| | US 7063952 | B2 | 20060620 |
| APPLICATION INFO.: | US 2001-966137 | A1 | 20010928 (9) |
| RELATED APPLN. INFO.: | Division of Ser. No. US 1998-194099, filed on 20 Nov 1998, PENDING | | |

| | NUMBER | DATE |
|-----------------------|--|----------|
| PRIORITY INFORMATION: | DE 1996-19621312 | 19960528 |
| DOCUMENT TYPE: | Utility | |
| FILE SEGMENT: | APPLICATION | |
| LEGAL REPRESENTATIVE: | Kurt G. Briscoe, Norris McLaughlin & Marcus, P.A., 30th Floor, 220 East 42nd Street, New York, NY, 10017 | |
| NUMBER OF CLAIMS: | 6 | |

EXEMPLARY CLAIM: 1
NUMBER OF DRAWINGS: 10 Drawing Page(s)
LINE COUNT: 462

CAS INDEXING IS AVAILABLE FOR THIS PATENT.

AB In a process for the quantitative optical analysis of fluorescently labelled biological cells 5, a cell layer on a transparent support at the bottom 2 of a reaction vessel 1 is in contact with a solution 3 containing the fluorescent dye 4. The sensitivity of analytical detection can be considerably improved if to the fluorescent dye 4 already present in addition a masking dye 9, which absorbs the excitation light 6 for the fluorescent dye 4 and/or its emission light 7, is added to the solution 3 and/or if a separating layer 10 permeable to the solution and absorbing and/or reflecting the excitation light 6 or the emission light 7 is applied to the cell layer at the bottom 2. This process can also be used for improving the sensitivity in the quantitative optical analysis of a luminescent biological cell layer. The separating layer 10 must in this case be composed such that it has a high power of reflection for the luminescent light 11. Analogously, these process principles can also be used in receptor studies for the masking of the interfering background radiation in the quantitative optical analysis of fluorescently or luminescently labelled reaction components. In this case, a receptor layer 12 at the bottom 2 of a reaction vessel 1 is in contact with a solution (supernatant 3) in which a fluorescent or luminescent ligand 13 is dissolved. The sensitivity and accuracy of the analytical detection can be considerably improved here if a masking dye 9 which absorbs the excitation light 6 for the fluorescent dye and/or its emission light or (in the case of luminescent ligands) the luminescent light is added to the supernatant 3. Instead of the masking dye in the solution 3 or optionally as an additional measure, a separating layer 10 permeable to the solution 3 and absorbing and/or reflecting the excitation light 6 and/or the emission light or the luminescent light can be applied to the cell or receptor layer 12 at the bottom 2.

CAS INDEXING IS AVAILABLE FOR THIS PATENT.

L12 ANSWER 7 OF 13 USPATFULL on STN
ACCESSION NUMBER: 2002:16874 USPATFULL <<LOGINID::20110427>>
TITLE: Masking of the background fluorescence and luminescence in the optical analysis of biomedical assays
INVENTOR(S): Krahn, Thoams, Hagen, GERMANY, FEDERAL REPUBLIC OF Paffhausen, Wolfgang, Leverkusen, GERMANY, FEDERAL REPUBLIC OF Schade, Andreas, Essen, GERMANY, FEDERAL REPUBLIC OF Bechem, Martin, Wuppertal, GERMANY, FEDERAL REPUBLIC OF Schmidt, Delf, Wuppertal, GERMANY, FEDERAL REPUBLIC OF

| | NUMBER | KIND | DATE |
|-----------------------|--|------|--------------|
| PATENT INFORMATION: | US 20020009754 | A1 | 20020124 |
| APPLICATION INFO.: | US 2001-966522 | A1 | 20010928 (9) |
| RELATED APPLN. INFO.: | Continuation of Ser. No. US 1998-194099, filed on 20 Nov 1998, PENDING | | |

| | NUMBER | DATE |
|-----------------------|--|----------|
| PRIORITY INFORMATION: | DE 1996-19621312 | 19960528 |
| DOCUMENT TYPE: | Utility | |
| FILE SEGMENT: | APPLICATION | |
| LEGAL REPRESENTATIVE: | Kurt G. Briscoe, Norris McLaughlin & Marcus, P.A., 30th Floor, 220 East 42nd Street, New York, NY, 10017 | |

NUMBER OF CLAIMS: 6
EXEMPLARY CLAIM: 1
NUMBER OF DRAWINGS: 10 Drawing Page(s)
LINE COUNT: 462

CAS INDEXING IS AVAILABLE FOR THIS PATENT.

AB In a process for the quantitative optical analysis of fluorescently labelled biological cells 5, a cell layer on a transparent support at the bottom 2 of a reaction vessel 1 is in contact with a solution 3 containing the fluorescent dye 4. The sensitivity of analytical detection can be considerably improved if to the fluorescent dye 4 already present in addition a masking dye 9, which absorbs the excitation light 6 for the fluorescent dye 4 and/or its emission light 7, is added to the solution 3 and/or if a separating layer 10 permeable to the solution and absorbing and/or reflecting the excitation light 6 or the emission light 7 is applied to the cell layer at the bottom 2. This process can also be used for improving the sensitivity in the quantitative optical analysis of a luminescent biological cell layer. The separating layer 10 must in this case be composed such that it has a high power of reflection for the luminescent light 11. Analogously, these process principles can also be used in receptor studies for the masking of the interfering background radiation in the quantitative optical analysis of fluorescently or luminescently labelled reaction components. In this case, a receptor layer 12 at the bottom 2 of a reaction vessel 1 is in contact with a solution (supernatant 3) in which a fluorescent or luminescent ligand 13 is dissolved. The sensitivity and accuracy of the analytical detection can be considerably improved here if a masking dye 9 which absorbs the excitation light 6 for the fluorescent dye and/or its emission light or (in the case of luminescent ligands) the luminescent light is added to the supernatant 3. Instead of the masking dye in the solution 3 or optionally as an additional measure, a separating layer 10 permeable to the solution 3 and absorbing and/or reflecting the excitation light 6 and/or the emission light or the luminescent light can be applied to the cell or receptor layer 12 at the bottom 2. (FIGS. 2 and 10)

CAS INDEXING IS AVAILABLE FOR THIS PATENT.

L12 ANSWER 8 OF 13 CAPLUS COPYRIGHT 2011 ACS on STN
ACCESSION NUMBER: 1997:805887 CAPLUS <>LOGINID::20110427>>
DOCUMENT NUMBER: 128:59162
ORIGINAL REFERENCE NO.: 128:11503a,11506a
TITLE: Masking background fluorescence and luminescence in optical analysis of biomedical assays
INVENTOR(S): Krahn, Thomas; Paffhausen, Wolfgang; Schade, Andreas; Bechem, Martin; Schmidt, Delf
PATENT ASSIGNEE(S): Bayer Aktiengesellschaft, Germany; Krahn, Thomas; Paffhausen, Wolfgang; Schade, Andreas; Bechem, Martin; Schmidt, Delf
SOURCE: PCT Int. Appl., 30 pp.
CODEN: PIXXD2
DOCUMENT TYPE: Patent
LANGUAGE: German
FAMILY ACC. NUM. COUNT: 1
PATENT INFORMATION:

| PATENT NO. | KIND | DATE | APPLICATION NO. | DATE |
|--|------|----------|------------------|----------|
| WO 9745739 | A1 | 19971204 | WO 1997-EP2662 | 19970523 |
| W: CA, JP, US
RW: AT, BE, CH, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE
DE 19621312 | A1 | 19971204 | DE 1996-19621312 | 19960528 |

| | | | | |
|---|----|----------|------------------|-------------|
| CA 2256629 | A1 | 19971204 | CA 1997-2256629 | 19970523 |
| CA 2256629 | C | 20030722 | | |
| EP 906572 | A1 | 19990407 | EP 1997-927032 | 19970523 |
| EP 906572 | B1 | 20020403 | | |
| R: AT, BE, CH, DE, DK, ES, FR, GB, IT, LI, NL, SE, FI | | | | |
| JP 2000512746 | T | 20000926 | JP 1997-541578 | 19970523 |
| JP 3452068 | B2 | 20030929 | | |
| AT 215698 | T | 20020415 | AT 1997-927032 | 19970523 |
| ES 2175416 | T3 | 20021116 | ES 1997-927032 | 19970523 |
| US 20020022274 | A1 | 20020221 | US 1998-194099 | 19981120 |
| US 6420183 | B2 | 20020716 | | |
| US 20020009754 | A1 | 20020124 | US 2001-966522 | 20010928 |
| US 20020015969 | A1 | 20020207 | US 2001-966137 | 20010928 |
| US 7063952 | B2 | 20060620 | | |
| US 20030092081 | A1 | 20030515 | US 2002-263607 | 20021003 |
| US 7138280 | B2 | 20061121 | | |
| US 20080318270 | A1 | 20081225 | US 2008-199317 | 20080827 |
| US 7615376 | B2 | 20091110 | | |
| PRIORITY APPLN. INFO.: | | | DE 1996-19621312 | A 19960528 |
| | | | WO 1997-EP2662 | W 19970523 |
| | | | US 1998-194099 | A1 19981120 |
| | | | US 2001-966522 | A3 20010928 |

ASSIGNMENT HISTORY FOR US PATENT AVAILABLE IN LSUS DISPLAY FORMAT

AB In a procedure for quant. optical anal. of fluorescently-labeled biol. cells a cell layer is applied to a transparent carrier at the base of a reaction vessel so that it is in contact with the solution containing the fluorescent dye. The sensitivity of the determination may be significantly improved by adding to the solution a masking dye, which absorbs the exciting light for the fluorescent dye already present in the solution and/or its emitted light, and/or by applying an interlayer that is permeable to the solution but absorbs and/or reflects the exciting light or the emitted light to the cell layer at the base. The same procedure may be used to improve sensitivity in quant. optical anal. of a luminescent biol. cell layer. In the latter case the interlayer should be composed so that it possesses a high reflection factor with respect to luminescent light. Analogously, these procedural principles may also be applied in receptor studies to mask disturbing background radiation in quant. optical anal. of fluorescently- or luminescently-labeled participants in a reaction. In this case a receptor layer is placed at the base of a reaction vessel in contact with a solution (supernatant 3) in which a fluorescent or luminescent ligand has been dissolved. The sensitivity and accuracy of the determination

may be significantly improved if a masking dye which absorbs the exciting light for the fluorescent dye and/or its emitted light or (in case of luminescent ligands) the luminescent light is added to the supernatant. An interlayer that is permeable to the solution but absorbs and/or reflects the exciting light and/or the emitted light or the luminescent light may be applied to the cell or receptor layer at the base instead of the masking dye in the solution or possibly as a supplementary measure.

OS.CITING REF COUNT: 14 THERE ARE 14 CAPLUS RECORDS THAT CITE THIS RECORD (14 CITINGS)

REFERENCE COUNT: 1 THERE ARE 1 CITED REFERENCES AVAILABLE FOR THIS RECORD. ALL CITATIONS AVAILABLE IN THE RE FORMAT

L12 ANSWER 9 OF 13 USPATFULL on STN

ACCESSION NUMBER: 96:99016 USPATFULL <<LOGINID::20110427>>

TITLE: Skin-coloring preparation

INVENTOR(S): Kurz, Thekla, Gross-Zimmern, Germany, Federal Republic of Stossel, Sieglinde, Reinheim, Germany, Federal Republic of

PATENT ASSIGNEE(S): Spiller, Andrea, Lemgo, Germany, Federal Republic of
Merck Patent Gesellschaft Mit Beschränkter Haftung,
Darmstadt, Germany, Federal Republic of (non-U.S.
corporation)

| | NUMBER | KIND | DATE |
|---------------------|----------------|------|--------------|
| PATENT INFORMATION: | US 5569460 | | 19961029 |
| APPLICATION INFO.: | US 1994-254003 | | 19940603 (8) |

| | NUMBER | DATE |
|-----------------------|---|----------|
| PRIORITY INFORMATION: | DE 1993-4318576 | 19930604 |
| DOCUMENT TYPE: | Utility | |
| FILE SEGMENT: | Granted | |
| PRIMARY EXAMINER: | Kishore, Gollamudi S. | |
| LEGAL REPRESENTATIVE: | Millen, White, Zelano, & Branigan, P.C. | |
| NUMBER OF CLAIMS: | 17 | |
| EXEMPLARY CLAIM: | 1 | |
| LINE COUNT: | 478 | |

CAS INDEXING IS AVAILABLE FOR THIS PATENT.

AB The invention relates to a skin-coloring preparation, containing a hydroxycarbonyl compound which has self-tanning properties, in a cosmetologically acceptable carrier, which preparation contains at least one colorant which adheres to the skin.

CAS INDEXING IS AVAILABLE FOR THIS PATENT.

L12 ANSWER 10 OF 13 USPATFULL on STN
ACCESSION NUMBER: 86:54783 USPATFULL <<LOGINID::20110427>>
TITLE: Electrooptical device having fixed translucent indicia
INVENTOR(S): Hotta, Yoshio, Atsugi, Japan
PATENT ASSIGNEE(S): Canon Kabushiki Kaisha, Tokyo, Japan (non-U.S.
corporation)

| | NUMBER | KIND | DATE |
|---------------------|----------------|------|--------------|
| PATENT INFORMATION: | US 4614407 | | 19860930 |
| APPLICATION INFO.: | US 1983-501866 | | 19830607 (6) |

| | NUMBER | DATE |
|-----------------------|--|----------|
| PRIORITY INFORMATION: | JP 1982-102581 | 19820614 |
| | JP 1982-143842 | 19820819 |
| DOCUMENT TYPE: | Utility | |
| FILE SEGMENT: | Granted | |
| PRIMARY EXAMINER: | Corbin, John K. | |
| ASSISTANT EXAMINER: | Gallivan, Richard F. | |
| LEGAL REPRESENTATIVE: | Fitzpatrick, Cella, Harper & Scinto | |
| NUMBER OF CLAIMS: | 14 | |
| EXEMPLARY CLAIM: | 9,14 | |
| NUMBER OF DRAWINGS: | 4 Drawing Figure(s); 2 Drawing Page(s) | |
| LINE COUNT: | 301 | |

AB An electrooptical device comprises an insulating film on at least one of a pair of electrode plates, wherein the insulating film has an area defining a colored pattern.

L12 ANSWER 11 OF 13 CAPLUS COPYRIGHT 2011 ACS on STN
ACCESSION NUMBER: 1971:81809 CAPLUS <<LOGINID::20110427>>
DOCUMENT NUMBER: 74:81809

ORIGINAL REFERENCE NO.: 74:13243a,13246a
 TITLE: Photoconducting recording materials
 INVENTOR(S): Tavernier, Bernard H.; Vanheertum, Johannes J.
 PATENT ASSIGNEE(S): Gevaert-Agfa N. V.
 SOURCE: Belg., 10 pp.
 CODEN: BEXXAL
 DOCUMENT TYPE: Patent
 LANGUAGE: French
 FAMILY ACC. NUM. COUNT: 1
 PATENT INFORMATION:

| PATENT NO. | KIND | DATE | APPLICATION NO. | DATE |
|------------|------|----------|-----------------|----------|
| BE 741541 | | 19700512 | BE | 19691112 |
| FR 2023144 | | | FR | |
| GB 1278416 | | | GB | |

PRIORITY APPLN. INFO.: GB 19681112

AB To mask the yellow-to-brown color of PbO as photoconductor it is overcoated with a white pigment (TiO₂, SiO₂, BaSO₄) layer containing <40% of a binder, which is transparent to x-rays, but reflects visible light, so that the materials may be charged, x-ray exposed, and processed in subdued daylight or artificial light. Thus, a dispersion of 50 g of a com. yellow PbO in 100 g PhMe containing 0.5 g monobutyl phosphate was ballmilled with 8-mm diameter ceramic spherules, and after addition of 15 ml of a 50% PhMe solution of styrene-modified alkyd resin (Alkydal V-15), for an addnl. 128 hr. The dispersion was coated on Al-clad paper to give a 60-μ layer of 150 g PbO/m² and overcoated with 20 g/m² of TiO₂ (0.5-10μ particle size) in the form of a dispersion of TiO₂ 25 g, poly(vinyl acetate) 50 g, and monobutyl phosphate 250 mg in PhMe 100 ml. A Shellsol T developer containing carbon black and Alkydal L-67 resin yielded black radiographs on a brilliant white background.

L12 ANSWER 12 OF 13 CAPLUS COPYRIGHT 2011 ACS on STN
 ACCESSION NUMBER: 1971:59406 CAPLUS <<LOGINID::20110427>>
 DOCUMENT NUMBER: 74:59406
 ORIGINAL REFERENCE NO.: 74:9561a,9564a
 TITLE: Photoconductive recording material
 INVENTOR(S): Tavernier, Bernard H.; De Meyer, Alfons J.; Vanheertum, Johannes J.
 PATENT ASSIGNEE(S): Gevaert-Agfa N. V.
 SOURCE: Belg., 13 pp.
 CODEN: BEXXAL
 DOCUMENT TYPE: Patent
 LANGUAGE: French
 FAMILY ACC. NUM. COUNT: 1
 PATENT INFORMATION:

| PATENT NO. | KIND | DATE | APPLICATION NO. | DATE |
|------------|------|----------|-----------------|----------|
| BE 740943 | | 19700429 | BE | 19691029 |
| DE 1954633 | | | DE | |
| FR 2023143 | | | FR | |
| GB 1280023 | | | GB | |
| US 3642470 | | 19720215 | US | 19691112 |

PRIORITY APPLN. INFO.: GB 19681112

AB To improve the color of electrophotog. records made with x-rays or visible radiation using tetragonal (U.S. 3,008,825; CA 56: 5572b) or orthorhombic PbO (U.S. 3,266,932; CA 65: 13068) the layer, preferably poly(vinyl acetate) with 50-90% red or brownish PbO is treated prior to or after the exposure with a >25% solution of a NH₄, alkali metal, or alkaline earth metal

halide. The effect of CaCl₂ is described as 9 PbO + 3 CaCl₂ + 9 H₂O → 2(3 Pb(OH)₂.PbCl₂) + PbCl₂ + 3 Ca(OH)₂. The charge acceptance is not markedly changed by the treatment, and the light-sensitivity lowered somewhat. Thus, the brownish color of a layer of 80% tetragonal PbO in poly(vinyl acetate) on an Al plate is masked by treatment for 15 sec at 80° with 25 aqueous CaCl₂. The x-ray-exposed material yields a black image on a brilliant white background upon processing with a liquid developer containing carbon black as toner.

L12 ANSWER 13 OF 13 CAPLUS COPYRIGHT 2011 ACS on STN
ACCESSION NUMBER: 1919:7380 CAPLUS <<LOGINID::20110427>>
DOCUMENT NUMBER: 13:7380
ORIGINAL REFERENCE NO.: 13:1396c-g
TITLE: Acid dyes containing chromium
PATENT ASSIGNEE(S): Soc. Anon. Pour L'ind. Chim. A Bale
SOURCE: Additions to 77,662 (C. A. 13, 191).
DOCUMENT TYPE: Patent
LANGUAGE: Unavailable
FAMILY ACC. NUM. COUNT: 1
PATENT INFORMATION:

| PATENT NO. | KIND | DATE | APPLICATION NO. | DATE |
|------------|-------|----------|-----------------|-------|
| CH 78615 | ----- | 19180816 | CH | ----- |

AB Swiss, 78,615 to 78,625, inclusive, all dated Aug. 16, 1918. In the manufacture of Cr-containing acid dyes, the azo dyes, reactive to metals, obtained by any of the methods specified below, are treated with Cr₂O₈ or its salts until the reaction is complete. The initial materials specified for the preparation of the azo dyes are (a) diazotized 1-amino-2-hydroxynaphthalene-4-sulfonic acid and α-naphthol, (b) diazotized 1-amino-2-hydroxynaphthalene-4-sulfonic acid and 1-phenyl-3-methyl-5-pyrazolone, (c) diazotized 4-nitro-2-amino-1-hydroxybenzene and 1-hydroxy-naphthalene-5-sulfonic acid, (d) diazotized 4,6-dinitro-2-amino-1-hydroxybenzene and 1,8-aminonaphthol-2,4-disulfonic acid, (e) diazotized 4-chloro-2-amino-1-hydroxy-benzene-6-carboxylic acid and 1,8-aminonaphthol-2,4-disulfonic acid, (f) diazotized 4-chloro-2-amino-1-hydroxybenzene-6-sulfonic acid and 1,8-aminonaphthol-3,6-disulfonic acid, (g) diazotized 4-chloro-2-amino-1-hydroxybenzene and benzoylacetic-0-carboxylic acid, (h) diazotized 1-amino-2-hydroxynaphthalene-4-sulfonic acid and 3-hydroxy-1-thionaphthene, (i) diazotized anthranilic acid and benzoyl-2-amino-5-naphthol-7-sulfonic acid, (j) diazotized anthranilic acid and phthaloyl-2-amino-5-naphthol-7-sulfonic acid, (k) diazotized 1-amino-2-hydroxynaphthalene-4-sulfonic acid and diketohydrindene. The dye products are soluble in H₂O, contain Cr in masked form (i. e., the Cr cannot be precipitated from aqueous solution by Na₂CO₃, NaOH, or NH₄OH), and dye animal fibers from acid bath in fast colors, i. e., resp., blue, blue-red, yellowish brown-black, yellowish green, brilliant blue, clear green-blue, clear yellowish green, greenish blue, bordeaux-red, and prune, shades.

=> logoff y

(FILE 'HOME' ENTERED AT 14:52:53 ON 27 APR 2011)

FILE 'CAPLUS, MEDLINE, BIOSIS, BIOTECHNO, COMPENDEX, ANABSTR, CERAB, METADEX, USPATFULL' ENTERED AT 14:54:25 ON 27 APR 2011

L1 122 SEA FILE=MFE SPE=ON ABB=ON PLU=ON (FLUORESCEN? (3A) DYE)

L2 (P) (MASKING (3A) DYE)
122 DUP REM L1 (0 DUPLICATES REMOVED)
D L2 1-20 TI
D L1 21-122 TI
D L1 100-122 IBIB ABS

L3 6 SEA FILE=MFE SPE=ON ABB=ON PLU=ON (FLUORESCEN? (3A) DYE)
(P) (MASKING (3A) BACKGROUND (5A) DYE)
D L3 1-6 TI

L4 4 SEA FILE=MFE SPE=ON ABB=ON PLU=ON (FLUORESCEN? (3A) DYE)
(P) (SECOND (3A) DYE) (P) (REDUC? (3A) BACKGROUND)
D L4 TI
D L4 1-4 TI
D L4 1-14 IBIB ABS
E REYNOLDS C PATRICK/AU

L5 12 SEA FILE=MFE SPE=ON ABB=ON PLU=ON "REYNOLDS C PATRICK"/AU
AND (DYE)

L6 7 DUP REM L5 (5 DUPLICATES REMOVED)
D L6 1-7 IBIB TI
E FRGALA TOMAS/AU

L7 7 SEA FILE=MFE SPE=ON ABB=ON PLU=ON "FRGALA TOMAS"/AU AND DYE

L8 4 DUP REM L7 (3 DUPLICATES REMOVED)
D L8 1-4

L9 29 SEA FILE=MFE SPE=ON ABB=ON PLU=ON (FLUORESCENT (3A) DYE)
(P) (BRILLIANT (3A) BLACK)

L10 29 DUP REM L9 (0 DUPLICATES REMOVED)
D L10 1-29 TI

L11 13 SEA FILE=MFE SPE=ON ABB=ON PLU=ON (BRILLIANT (3A) BLACK)
(P) (MASK?)